



BRADES

Brades
Catalogue
Book

About this book

Brades Catalogue Book

WILLIAM HUNT & SONS, THE BRADES, LTD.

DISCOUNTS AND PLUSSAGES

APPLYING TO
EXPORT PRICE LIST No. 223

All Prices in this List are subject to a Plusage of 27½% except the following :

Pages 6 & 7	Plus 25%.
Page 8	Plus 30%, except No. 539 Plus 25%. No. 538 Plus 37½%.
" 9	Plus 30%, except Nos. 1960, 659, 699, 658, 581, 588, Plus 37½%.
" 10	Plus 30%.
" 11	Plus 30%, except Rios Hoes 1973, 1975, 558, 1974, Plus 37½%.
" 14	Hammers 1739, 1729 and 1721. Less 10% and Plus 27½%.
" 15	Hammers 1706, 1773, Handled Hickory and Ash, Less 10% and Plus 27½%.
" 17	Nos. 1127, 1225, 1220, 1226, Plus 25%.
" 19	Plus 25%, except 1177, 1162, Plus 27½%.
" 20	No. 1083, 1089, 1170, Plus 30%.
" 21	Nos. 897, 896, 896C, 83, 898, 899, 902, Plus 25%.
" 22	Nos. 1221, 1222, 1224, 989, Plus 25%.
" 25	Vine Hoes Nos. 590, 592, 593 and 597, Plus 30%.
" 26	Garden Shears, Less 33½%, Plus 27½%. Nos. 156, 157, 155, Plus 27½%.
" 30	Discontinued for duration of war.
" 31	Plus 20% and Plus 20%, except Nos. 2423, 2435, 2430, 2425, 2434, 2467, 2428, Plus 10% and Plus 20%.
" 32	Plus 20% and Plus 20% except Nos. 2401, 2407, Plus 10% and Plus 20%.
" 32	Plus 25%, except 1452, 1455, 1693, 1351, 1354, 1466, 1470, Plus 27½%.
" 33	Plane Irons, Plus 12½% and Plus 25%.
" 34	Augers No. 1864, Brace Bits Nos. 1878, 1922, Discount 35% and Plus 20%. Brace Bits Nos. 1876, 1877, 1879, Discount 25% and Plus 20%. Brace Bits No. 1873, Discount 40% and Plus 20%. Gimlets Nos. 1881, 1880, 1882, Plus 25%. Bradawls No. 2391, Plus 25%. All other Brace Bits, Plus 30%.
" 41	Scythes Nos. 30, 5, 12, 41, 83, Hay Knives No. 68, Stones No. 50, Sneaths 48 and 49, Plus 15%. Hay Knives Nos. 71 and 52, Plus 20%.

April, 1941.

List No. 222.

DELIVERY.

Prices include delivery to any English port on orders of not less than £10 in value.

PACKAGES.

Cost of Packing is extra, except where otherwise stated.

PRICES AND DISCOUNTS.

are subject to alteration without advice.

NO SPECIAL ARTICLES

or Articles marked with any Special Mark, can be undertaken.

A record is kept of all Catalogues issued, and it is particularly requested that they are not parted with, as we cannot undertake to supply customers with duplicate copies.

Catalogues remain the property of the Company.

WARRANTY.

All "BRADES" FIRST QUALITY Goods are fully warranted and will be replaced if found to have been faulty at the time of issue.

BRADES STEEL WORKS, Near BIRMINGHAM.

WILLIAM HUNT & SONS · THE BRADES LTD.

Established
Over 150 Years

EXPORT TRADE PRICE LIST



NEAR
BIRMINGHAM

Telephone : BROADWELL 1101-(2 and 3)

Telegrams : BRADES, BIRMINGHAM

LONDON

Offices and Showrooms : 1 & 2 FINSBURY COURT, FINSBURY PAVEMENT, E.C.2.

Telephone : NATIONAL 9144

1941
EDITION

List No. 223

REGISTERED TRADE MARKS

Our TRADE MARKS which appear on all our manufactures are a guarantee to the User that we stand by our products and that in them they are getting the best value.

VALUE, not necessarily Low First Cost, is the claim we make for BRADES' Tools, and our policy is to offer our best services to the User, by supplying him at a price he is able and willing to pay.

In stocking BRADES' Tools, our customers will be studying not only their own but the **USERS'** best interests. The **BEST** goods are usually the best value, the easiest to sell, and yield the best return to the Dealer, and never fail to increase sales by the satisfaction they give and the avoidance of the trouble and complaints inseparable from so-called "cheap" tools.

BRADES CO

HUNT & SONS

WHS
HUNT & SONS
BRADES CO

BRADES CO
W.H.



GIRAFFE

BRADES BEST CO
LONDON

BRADES CO



COCKATOO



E. E. T. C.



BANJO



SAMSON



STORK



MATADOR



GRASSHOPPER



GITARRA



PAGODA

W.H.S.
SOLID CAST STEEL

CRITERION

COBRA

DOROTHY

WHS

THE FOLLOWING DENOTE SECOND GRADE TOOLS

PIONEER



G.WALBY
LONDON

GOOD TEMPER

REPRESENTATIVES.

AUSTRALIA and NEW ZEALAND

E. H. COLLIS PTY. LTD.,
413 Lonsdale Street,
Melbourne, C.I.

Cables :—"Collis," Melbourne,
and Shorter House,
193-5 Clarence Street,
Sydney.

Cables :—"Coliseum," Sydney.

SOUTH AFRICA and RHODESIA

T. PICKBURN,
Box 390, Durban
Box 3117, Capetown.

Cables :—"Pickeye."

BRITISH EAST AFRICA

KETTLES-ROY & TYSON (MOMBASA) LTD.,
Box 208 Mombasa.

" 100 Nairobi.
" 171 Dar-es-Salaam.

Cables :—"Royalty."

WEST AFRICA

E. OSBORNE (WEST AFRICA), LTD.,
Post Box 558,
Lagos,
Southern Nigeria.

Cables :—"Osborne," Lagos.

EGYPT

H. REYNOLDS & CO.
P.O. Box 182
28 Sharia-el-Nahas Pacha,
Cairo.

Cables :—"Nolds," Cairo.

PALESTINE

LEON SAPORTA,
P.O. Box 456,
26 Hasharon Street,
Tel-Aviv.

Cables :—"Leo Sap," Tel-Aviv.

INDIA and BURMAH

C. L. R. BARRETT,
Box 19 Bombay, and
" 2296 Calcutta.

Cables :—"Barrettlaw," Bombay.

STRAITS SETTLEMENTS

Also Malay States, Siam and
Dutch East Indies

FRED. STARR,
G.P.O. Box No. 552,
Singapore.

Cables :—"Luminous," Singapore.

JAVA (Dutch East Indies)

J. J. H. AARSEN & CO.,
Bantjeuj 42,
Bandoeng.

Cables :—"Aarsen, Bandoeng."

COSTA RICA

PIZA & BLANCO,
P.O. Box,
San Jose.

WEST INDIES

Including British Honduras,
British-Dutch-French Guianas.

A. GORDON,
G.P.O. Box 33,
Kingston,
Jamaica, B.W.I.

BRITISH COLUMBIA

T. L. CRIGHTON & CO.,
Suite 801,
509 Richards Street,
Vancouver.

Cables :—"Hardware," Vancouver.

ALBERTA, MANITOBA and SASKATCHEWAN

L. HANEY & CO.,
80 Lombard Street,
Winnipeg, Canada.

Cables :—"Lehny," Winnipeg.

ONTARIO and QUEBEC

JOHN R. ANDERSON & SON LTD.,
637, Craig Street West,
Room 210,
Montreal, Canada.

Cables :—"Alerta," Montreal.

MARITIME PROVINCES

H. C. OPIE,
54 Chestnut Street,
Halifax,
Nova Scotia, Canada.

NEWFOUNDLAND

J. G. CRAWFORD,
P.O.B. 336,
St. John's.

Cables :—"Gillespie," St. John's.

ARGENTINE

ENRIQUE N. HURTADO,
Casilla Correo 696,
Buenos Aires

Cables :—"Hurtado," Buenos Aires.

URUGUAY

FRANCISCO DEL RIO,
Yaguaron No. 1188,
Montevideo.

Cables :—"Riofran," Montevideo.

PERU

ALFRED PALLISER,
Casilla 2564,
Calle Coreo 159,
Lima.

Cables :—"Palliser," Lima.

CHILE

FLATEN, ROYEM ANKER & CO., LTD.,
Morandé 230,
Casilla 2168,
Santiago.

Cables :—"Flatem," Santiago.

ECUADOR

JORGE ALVEAR PALLARES,
P.O. Box 1063
Aguirre 206 (Altos),
Guayaquil.

Cables :—"Casacompra."

INDEX

	Page		Page
ADZES, Carpenters'	5	FARRIERS' PINCERS	45
" Coopers'	44	FLATTENERS	23, 24, 25, 27
ALAVANGAS	34	FORKS	46
AUGERS	1, 2, 3, 4	FROES, Paling	44
AXES	28, 29	FULLERS	44
BAGGING HOOKS	40	GARDEN HOES	26
BANANA PRUNERS	39	" SHEARS	26-30
BARS, Crow, Planting, etc.	12	" TOOLS	30
BEATERS	37	" " in Sets	34
BILL HOOKS	43	GIMLETS	31, 32
BOLSTERS	34	GOUGES	22
BRACE BITS	34	GRAFTING TOOLS	7
BRADAWLS	38	GRANOLITHIC JOINTERS	35
BUSH HOOKS	42	GRASS KNIVES	13
BUTCHERS' CHOPPERS	37	GRUBBING MATTOCKS	33
CANE BILLS	35	HACKING KNIVES	13, 14, 15, 16, 44
" KNIVES	31, 32, 33	HAMMERS	3, 4
CARPENTERS' TOOLS	43	HATCHETS	24
CASE OPENERS	43	HAY FORKS	41
CATTIES	37	HAY KNIVES	8, 9, 10, 11, 25
CENTRE BITS	34	HOES, PLANTATION	28, 29
CHISELS, Carpenters'	31, 32	HOOKS	37-40
" Chipping,	43	" GARDEN	7
" Stonemasons'	43	JOINTERS	7
" Plugging, Brick	43	JOINT RULES	7
" Electricians'	43	KNIVES, Cane and Grass	35
" Railway Track	44	" Corn	36
CHOPPERS	42	" Drawing	33
CLEAVERS	42	" Hay	41
COCOA PRUNERS	39	LEAD LADLES	20
COFFEE DIGGERS	10	LINE PINS	7
COLD SETS	44	MANURE FORKS	24
COOPERS' TOOLS	5, 43	MATCHETS	36
CORN KNIVES	36	MATTOCKS	13
COUNTERSINK BITS	34	MAULS	46
CROWBARS	44	MILL BILLS	46
CULTIVATORS	29	MOULDERS' TROWELS	7
CUTTERS, ANVIL	44	PALING FROES	46
DAH'S	37	PARANGS	37
DAISY GRUBBERS	27	PATJOLS	9, 13
DRAGS	24	PENGKALIS	20
DRAWING KNIVES	33	PICKS & PICKAXES	12, 13
DRILLS, Miners'	44	PINCERS, Farriers'	45
DRIVERS, Coopers'	43		
EARTH RAMMERS	46		
EDGING IRONS	27		

INDEX TO PATTERN NUMBERS.

Pattern No.	Page	Pattern No.	Page	Pattern No.	Page	Pattern No.	Page	Pattern No.	Page
5	41	309	3	547	8	706	9	1082	20
11	40	310	4	548	8	707	9	1083	20
12	41	311	4	551	11	709	10	1084	20
13	40	312	3	553	10	713	29	1086	20
15	40	313	4	556	10	726	26	1088	20
30	41	314	3	558	11	727	26	1089	20
41	41	316	3	560	11	728	26	1097	18
48	41	322	2	561	11	729	26	1100	18
49	41	332	4	562	11	730	26	1103	18
50	41	341	3	564	11	731	26	1107	18
52	41	344	3	565	10	732	26	1113	18
68	41	355	3	567	9	733	26	1118	18
71	41	362	1	570	11	738	23	1119	18
83	41	363	1	573	11	741	23	1125	17
85	40	365	1	574	11	742	23	1127	17
104	36	367	1	576	10	743	23	1128	17
122	40	368	1	577	10	746	24	1140	19
124	40	369	1	580	9	748	24	1140C	19
135	40	374	3	581	9	751	23	1141	19
141	40	375	3	585	10	756	25	1142	19
142	39	377	3	587	10	760	25	1151	17
143	40	378	3	588	9	763	25	1151B	17
144	39	379	3	590	25	765	23	1152	19
146	40	380	3	591	10	769	25	1152B	19
147	40	382	5	592	25	770	25	1152C	19
148	40	385	5	593	25	772	25	1153	17
149	40	392	5	597	25	773	23	1153B	17
150	40	395	5	604	27	775	23	1155	17
151	26	396	5	605	27	776	25	1155B	17
152	26	399	5	606	27	779	23	1156	19
153	26	399B	5	609	27	793	24	1156B	19
154	26	400	5	614	27	800	23	1156C	19
155	26	404	42	615	27	807	24	1162	19
156	26	405	42	616	27	809	24	1170	20
157	26	406	42	617	27	811	24	1175	19
158	26	410	42	618	27	821	24	1176	18
162	26	413	42	619	27	822	24	1177	19
163	26	420	42	622	29	825	24	1178	19
164	26	425	42	625	29	826	25	1180	17
165	26	426	42	626	29	830	24	1180B	17
172	37	430	42	627	29	831	24	1185	20
173	37	434	42	628	27	833	24	1193	20
180	37	439	42	630	29	841	24	1202	20
181	37	440	42	630A	29	842	24	1204	20
184	37	441	42	632	29	890	21	1207	20
213	37	443	28	633	27	896	21	1210	20
223	37	457	28	634	27	896C	21	1213	19
224	37	472	28	635	27	897	21	1217	19
225	37	474	28	636	27	898	21	1220	17
226	37	484	29	637	27	899	21	1221	22
227	38	486	29	638	27	902	21	1222	22
233	39	487	29	639	27	906	21	1224	22
234	38	490	28	641	27	908	21	1225	17
238	37	491	28	642	27	918	22	1226	17
239	39	494	28	643	27	921	21	1241	44
240	39	495	8	644	27	933	21	1242	44
242	39	496	10	645	27	947	21	1243	44
243	38	501	28	646	27	947B	21	1245	44
244	39	502	28	656	10	955	21	1246	44
245	39	504	8	658	9	958	22	1250	44
247	39	509	29	659	9	973	22	1256	44
249	39	511	29	665	11	987	22	1273	13
250	39	524	9	672	28	989	22	1276	13
251	38	525	9	677	28	991	22	1278	13
259	38	528	8	679	28	992	22	1280	13
264	40	529	10	681	27	993	22	1286	13
276	39	531	8	682	10	1058	22	1287	13
280	39	532	8	684	29	1058B	22	1301	13
283	39	533	8	685	29	1059	22	1302	13
285	40	534	8	686	29	1059B	22	1304	13
286	3	535	10	687	29	1060	22	1305	13
287	3	537	8	689	28	1060B	22	1307	12
289	3	538	8	691	11	1061	22	1308	12
296	2	540	8	692	11	1061B	22	1312	13
301	4	541	9	693	11	1076	20	1317	13
306	3	542	10	699	9	1079	20	1321	13
307	3	546	8	702	9	1080	20	1322	13

INDEX TO PATTERN NUMBERS—continued.

Pattern No.	Page	Pattern No.	Page	Pattern No.	Page	Pattern No.	Page
1328	13	1472	46	1642	35	1878	34
1330	12	1473	46	1643	36	1879	34
1331	13	1474	46	1644	39	1880	34
1332	13	1475	46	1645	39	1881	34
1333	13	1476	46	1646	38	1882	34
1335	13	1477	46	1647	38	1885	34
1337	13	1478	46	1648	37	1886	34
1337A	12	1479	46	1651	36	1887	34
1339	13	1481	46	1652	37	1888	34
1343	12	1482	46	1653	4	1889	34
1344	13	1489	46	1660	16	1893	34
1345	12	1491	43	1662	16	1894	34
1346	12	1494	5	1663	16	1895	34
1348	12	1504	5	1669	16	1896	34
1349	12	1505	5	1677	14	1899	34
1350	33	1509	5	1683	15	1901	34
1351	33	1510	5	1684	15	1902	34
1354	43	1511	4	1688	4	1903	34
1380	43	1513	2	1693	33	1922	34
1391	45	1536	2	1702	15	1938	27
1394	45	1537	2	1706	15	1940	27
1395	45	1538	2	1713	14	1941	9
1396	45	1544	2	1714	14	1959	11
1397	45	1546	2	1714B	14	1960	9
1398	45	1548	2	1715	14	1961	10
1399	45	1549	2	1721	14	1962	10
1400	45	1551	2	1729	14	1963	8
1404	45	1552	2	1731	14	1964	8
1405	45	1553	2	1734	14	1965	8
1406	45	1558	1	1738	14	1966	11
1410	44	1561	1	1739	14	1968	8
1411	44	1562	1	1745	14	1970	28
1412	44	1562 Heads	2	1746	14	1971	11
1413	44	1563	4	1752	14	1973	11
1414	44	1564	1	1755	16	1974	11
1415	44	1564B	1	1757	16	1975	11
1416	44	1565	1	1758	16	1977	8
1417	44	1566	1	1768	16	1978	8
1418	44	1570	1	1769	16	1991	11
1419	44	1571	1	1771	15	1992	11
1420	44	1572	1	1773	15	1993	11
1421	44	1574	2	1774	15	1994	11
1421R	44	1576	2	1776	14	1995	11
1422	44	1583	1	1777	14	1996	11
1424	44	1585	1	1778	16	1997	11
1425	46	1586	4	1780	16	2012	6
1427	46	1587	4	1782	16	2022	6
1429	43	1588	4	1783	16	2030	6
1430	43	1591	3	1784	15	2031	6
1431	43	1592	3	1785	15	2058	6
1432	43	1593	3	1786	15	2059	7
1433	43	1594	4	1789	15	2061	6
1437	43	1596	4	1790	16	2067	6
1438	43	1601	4	1791	15	2161	6
1439	43	1609	35	1792	15	2202	7
1440	43	1610	2	1794	16	2203	7
1448	43	1618	4	1796	16	2204	7
1449	43	1622	37	1798	16	2205	7
1450	43	1623	36	1799	16	2206	7
1451	43	1624	36	1800	16	2211	7
1452	43	1627	37	1803	16	2212	7
1455	33	1631	37	1806	5	2214	7
1461	33	1632	39	1806	5	2216	7
1463	43	1633	36	1826	43	2217	7
1466	44	1635	36	1827	43	2218	7
1467	33	1636	35	1828	43	2219	7
1468	43	1637	36	1829	46	2230	7
1470	43	1638	35	1864	34	2231	7
1471	46	1640	37	1873	34	2236	43
		1641	35	1876	34		
			35	1877	34		

INDEX TO "DREWS" TOOLS

3	21	24A	18	45	23	85	22	226	23	238	24
12A	21	30A	18	50	23	86	22	228	23	239	24
18	18	43	23	83	21	110	21	236	24		

WILLIAM HUNT & SONS, THE BRADES, LTD.

"BRADES" AXES—Handled

"BRADES" AXES are made on the ONE-PIECE principle, in this manner the serious risk of faulty Welds is avoided; the Eyes being machine made are uniform in size and true. Mass production methods ensure not only the most approved shapes and uniformity throughout, but make possible low prices not otherwise obtainable. Scientific Heat-controlled methods of Hardening and Tempering ensure a perfect cutting edge. The Handles are selected HICKORY well seasoned and firmly fixed in the Head. Every Axe is severely tested on Lignum Vitae and critically examined before being passed and is fully Warranted.

Cable Code	Patt. No.	Weight of Head, lbs.	3						Per Doz.	
			3	3½	4	4½	5	5½		6
YNODJ	*1561	" GIRAFFE " YANKEE AXE	58/-	60/-	62/-	64/-	66/-	68/-	70/-	
YNOEZ	1562	" EAGLE "	48/-	50/-	52/-	54/-	56/-	58/-	60/-	
YNOGX	*1566	" COCKATOO " Hollowed Blade	59/-	61/-	63/-	65/-	67/-	69/-	71/-	
YNOJG	1570	" CRITERION "	48/-	50/-	52/-	54/-	56/-	58/-	60/-	
YNOKP	*1565	" COCKATOO " TASMANIAN AXE, Square Poll	62/-	64/-	66/-	68/-				
YNOLN	1583	" CRITERION "	50/-	52/-	54/-	56/-				
YNONU	1585	" FAME "	45/-	47/-	49/-	51/-				
YNOSK	*1571	" COCKATOO " Round Poll	62/-	64/-	66/-	68/-				
YNOTT	1572	" CRITERION "	50/-	52/-	54/-	56/-				
YNOVR	1558	" FAME "	45/-	47/-	49/-	51/-				
YNOWV	*1564	" COCKATOO " Hollowed Blade	63/-	65/-	67/-	69/-				
YRVSI	1564B	" CRITERION "	50/-	52/-	54/-	56/-				

*Nos. 1561, 1566, 1565, 1571, 1564, fitted with No. 1 Grade Handles; if fitted with Extra Grade Handles, 3/- dozen extra.

YNOXC	368	" GIRAFFE " THREE-QUARTER AXE	2½ lb. Head,	28 inch Handle	45/-	
YNOYS	365	" CRITERION "	2½ lb. "	28 inch "	37/-	
YNPAX	367	" GIRAFFE " HALF-AXE	2½ lb. "	26 inch "	42/-	
YNPCU	363	" CRITERION "	2½ lb. "	26 inch "	36/-	
YNPEV	369	" GIRAFFE " QUARTER-AXE	2 lb. "	24 inch "	41/-	
YNPFA	362	" CRITERION "	2 lb. "	24 inch "	35/-	

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement inches	Gross Weight Cwt. Qrs. lbs.	Cubic Measure Feet	Cost
All Patterns of Handled Axes	Case = 1 dozen, 3½ lbs. } Case = 1 " 4 lbs. } 36 inch Case = 1 " 4½ lbs. } Handles Case = 1 " 5 lbs. }	43×7×10	0 2 18	1½	7 6
		43×7×10	0 2 24	1½	
		43×7×10	0 3 2	1½	
		43×7×10	0 3 8	1½	
The above Axes can be packed in Cardboard Cartons of ½ Doz. each if desired .. 2 3					
368, 365	Case = 1 dozen	35×7×9	0 1 26	1½	5 3
367, 363	Case = 1 dozen	33×7×9	0 1 20	1½	5/-
369, 362	Case = 1 dozen	32×6×8	0 1 15	1	4 9

BRADES STEEL WORKS, Near BIRMINGHAM.

AXES, HATCHETS.

"BRADES" HATCHETS are made on the ONE-PIECE principle, in this manner the risk of "Faulty Welds" is avoided; the Eyes being machine made are uniform in size and true. Mass production methods ensure not only the most approved shapes and uniformity throughout, but make possible low prices not otherwise obtainable. Scientific Heat-controlled methods of Hardening and Tempering ensure a perfect cutting edge. The Handles are selected HICKORY, well seasoned and firmly fixed in the head. Every Hatchet is severely tested on Lignum Vitæ and critically examined before being passed and is fully Warranted.

Cable Code	Patt. No.	Description	Weight of Head, lbs.	Length of Handle, inches	Price	Per
YNZUJ	332	KENT AXE, Heads 2½ and 4 lbs.	2½ 18	4 24	1/-	Per lb.
YNZYG	301	KENT AXE, Handled	40/6	58/-		Per Doz.
YOAAV	311	STEEL POLL HATCHET	No. 2 1½		28/-	"
YOABB	310	"EAGLE" HATCHET	No. 1 1½		19/-	"
YOACT	1596	FRUIT HATCHET			38/-	"
YOADS	1660	LATH HATCHET, Bright			37/-	"
YOAEK	1660	" " " if Slotted			38/-	"
YOAHM	2503	" " " Round Head			38/-	"
YOAIL	1688	"BRADES" LATH HATCHET	No. 1 2½	2 2½	29/6	"
YOAJZ	1594	"CRITERION" "			30/6 26/-	"
YOAMP	313	FIREMEN'S HATCHET			68/-	"
YOAKR	1563	BOYS' AXE, Hollowed Blade, 2½ lbs. 26 in. Handle			42/-	"
YPYVU	1586	" THREE-QUARTER AXE, Hollowed Blade, 2½ lbs. 28 in. Handle			37/-	"
YOALY	1587	" HALF AXE, Hollowed Blade, 2½ lbs. 26 in. Handle			36/-	"
YPYUG	1588	" QUARTER AXE, Hollowed Blade, 2 lbs. 24 in. Handle			35/-	"
YOANJ	1610	CHINESE AXE, Head only	Weight lbs. 1½ 1½ 1½ 2		18/- 18/- 19/- 20/-	"
YOAOG	1610	" 14 inch Handle			Extra 7/-	"

PACKING—APPROXIMATE ONLY.					
Pattern No.	Particulars	Measurement	Gross Weight Cwt. Qrs. lbs.	Cubic Measure Feet	Cost
332	Case = 6 Dozen 2½ lbs. Heads only	18×17×16	1 3 8	2½	10/-
301	Case = 6 Dozen 1½ lbs. Handled	31×18×13	1 3 5	4½	15/-
311	Case = 6 Dozen No. 2	25×18×15	1 3 0	4	9/-
310	Case = 6 Dozen No. 1	19×16×16	1 1 0	2½	10/-
1596	Case = 2 Dozen	17×16×9	0 2 9	1½	5/3
	Case = 2 Dozen No. 1	17×15×9	0 1 24	1½	5/3
	Case = 2 Dozen No. 2	17×16×9	0 2 4	1½	5/3
1594	Case = 2 Dozen No. 3	18×17×9	0 2 18	1½	5/6
1660	Case = 2 Dozen	17×15×9	0 1 15	1½	5/3
2503	Case = 2 Dozen	17×15×9	0 1 15	1½	5/3
313	Case = 2 Dozen	20×18×9	0 2 12	2	5/6
1563	Case = 1 Dozen	33×7×9	0 1 20	1½	5/-
1610	Case = 5 Dozen 1½ lbs. Handled	20×15×12	1 1 0	2	6/-
1610	Case = 5 Dozen 1½ lbs. Heads	18×12×7	0 3 14	1	4/6

ADZES.

Drop-forged, with machine made Eyes, from the best quality High-Carbon Steel, Hardened and Tempered by our special Heat-controlled process to carry a keen edge. Every Adze tested on the hardest known wood.

Cable Code	Patt. No.	Description	Weight, lbs.	Width on Cut, Inches	Price	Per
YMRAR	396	"BRADES" WHEELERS ADZE, Bright & Japd.		3½	4	3½
YOAPA	395	"GOOD TEMPER" WHEELER'S ADZE		39/-	41/-	43/-
				31/-	33/-	35/-
YMREI	1513	"BRADES" CARPENTER'S ADZE	Size in Inches 5×3 5½×3½ 5½×3½	27/- 28/- 29/-	30/- 32/-	
YOARI	400	" CARPENTER'S ADZE, Bright and Japanned	Weight, lbs.	3½ 3½ 3½		
YMPYU	1510	"EAGLE" CARPENTER'S ADZE, Blued	Weight, lbs.	48/- 50/- 52/-		"
YMPTI	385	"BRADES" SHIP ADZE	Weight, lbs.	16/- 16/6	17/- 17/6	18/6
YMPRY	382	" CARPENTER'S ADZE	Weight, lbs.	3½ 3½ 4	32/- 34/- 36/-	"
YMPFO	392	" RAILWAY ADZE, Flat Head	Weight, lbs.	3½ 3½ 3½	7½×4 8×4½	
YMRIS	1504	" HAMMER HEAD ADZE, Round Eye, Slotted	Size of Blade, inches 6½×5 7×6 7½×7	38/- 40/- 42/-		"
YOATO	1505	" HAMMER HEAD ADZE, Round Eye, Slotted, Second Finish	Weight lbs. 2½ 2½ 2½	5×3½ 5½×4 5½×4½		"
YMRLU	399	" LOOP ADZE, Bright and Blued	Width on Cut, Inches	4 4½ 5		"
YRBOA	399B	" " " Second Finish		43/- 45/- 47/-		"
YOAVC	1511	" RAILWAY SPIKING ADZE, 5½ lbs.		38/- 40/- 42/-		"
YMRZE	1803	" COOPER'S SHARP ADZE	Weight, lbs.	2½		"
YMRYW	1806	" COOPER'S NAIL ADZE		30/-		"
YOAXU	1509	"GOOD TEMPER" EASTERN ADZE, Slotted, Width on Cut, 3 inches		32/-		"
		HICKORY ADZE HANDLES, 32 inches				13/- 18/-

PACKING—APPROXIMATE ONLY.					
Pattern No.	Particulars	Measurement Inches	Gross Weight Cwt. Qrs. lbs.	Cubic Measure Feet	Cost
396, 395	Case = 6 Dozen No. 1	38×17×12	2 2 24	4½	
	Case = 6 Dozen No. 2	40×17×12	2 3 5	4½	
	Case = 6 Dozen No. 3	40×17×13	2 3 14	5½	
1513	Case = 6 Dozen No. 2	32×18×12	2 1 18	4	
400	Case = 6 Dozen Assorted No. 1, 2 & 3	30×20×9	2 2 8	3½	
1510	Case = 6 Dozen Assorted No. 1, 2 & 3	26×15×7	1 2 10	1½	
385	Case = 6 Dozen No. 2	29×21×9	3 0 14	3½	
382	Case = 6 Dozen No. 2	30×17×14	2 3 7	4½	
392	Case = 3 Dozen No. 2	21×16×10	1 3 23	2	
1504	Case = 6 Dozen No. 2	23×14×10	1 3 4	2	
399	Case = 6 Dozen Assorted 4, 4½ & 5 in.	30×12×8	1 2 12	1½	
1511	Case = 3 Dozen	22×22×10	2 0 0	3	
1803	Case = 6 Dozen No. 1	23×13×11	1 3 0	2	
1806	Case = 6 Dozen No. 2	23×13×10	1 2 16	1½	
1509	Case = 6 Dozen	25×9×10	1 0 9	1½	

WILLIAM HUNT & SONS, THE BRADES, LTD.

TROWELS. BRICKLAYERS—Boxed in half dozens.

BRADES W.H.S. TROWELS have been the WORLD'S STANDARD for a century or more, and no variation is permitted in the Quality or the Temper of the Steel used in their manufacture.

In order to obviate the danger of the blades "flying" in the jarring concussion of cutting a brick, our Trowels are tempered for use on the RIGHT-HAND side only.

For this reason it will be understood that "SPECIAL" Trowels are made for "LEFT-HANDED" Men.

Our "WALBY" TROWELS No. 2022 and W. H. POINTING TROWELS No. 2058, are Cheaper Grades of their respective kinds, and will meet the demands in this respect.

BRADES' W.H.S. TROWELS are FULLY WARRANTED and can be exchanged if found to have been faulty at the time of issue.

Cable Code	Patt. No.	Size in Inches	10	10½	11	11½	12	12½	13	Per Doz.
YOAYF	2030	"W.H.S." LONDON TROWEL	39/6	40/6	42/-	43/6	45/-	46/-	47/6	
YOBAX	2031	" " " Capped ..	42/-	43/-	44/6	46/-	47/6	48/6	50/-	"
NOTE.—Nos. 2030, 2031 Special Trowels are made for left-handed men										
YOBUCU	2012	"W.H.S." BRICK TROWEL, Extra Wide {	Width	Inches	5½	5¾	6			
					46/6	48/-	49/6			
YOBEV	2161	" PHILADELPHIA TROWEL ..	32/-	33/-	34/-	35/-	36/-	37/-	38/-	"
		Size in Inches	8	9	10	11	12	13		"
YNIWK	2022	"WALBY" TROWEL	20/6	21/6	24/-	26/-	30/-	32/-		"
		Size in Inches	5	5½	6	6½	7	7½	8	"
YNJAS	2061	"W.H.S." POINTING TROWEL ..	14/-	15/-	15/-	17/-	17/-	19/-	19/-	"
YNJEE	2058	"W.H." POINTING TROWEL	12/-	13/-	13/-	14/-	14/-	16/-	16/-	"
		Size in Inches			7	8	9	10		"
YNIZY	2067	"W.H.S." GAUGING TROWEL ..				20/-	22/-	26/-	30/-	"

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwt. Qrs. lbs.	Cubic Measure Feet
2030 or 2031	Case = 2 Dozen, each 11, 12, 13 inches	24×20×11	0 3 9	3½
2022	Case = 2 " 10, 11, 12 inches	25×19×11	0 3 8	3
2012	Case = 2 " 10, 11, 12 inches	28×19×11	1 0 0	3½
2161	Case = 6 " 11 inches	23×20×16	0 3 22	4½
2061 or 2058	Case = 2 Dozen each, 5, 6, 7 inches	19×14×10	0 1 7	1½
2067	Case = 2 " 7, 8, 9 inches	24×17×12	0 2 14	3

BRADES STEEL WORKS, Near BIRMINGHAM.

WILLIAM HUNT & SONS, THE BRADES, LTD.

PLASTERERS' TROWELS, &c.

"BRADES" PLASTERING TROWELS embody all the latest improvements and best points, the outcome of careful study of the Plasterer's requirements. Made from Special High Carbon Steel the PLATES are light and Spring tempered, accurately ground flat with edges rolled off. Tangs securely riveted to Blade, hand room for easy working, well balanced.

Cable Code	Patt. No.	Size in Inches	11×4	11½×4¼	12×4½	Per Doz.
YNJIN	2204	"W.H.S." PLASTERING TROWEL, Single Tang	41/6	43/-	44/6	
YNJJO	2206	" " " Double Tang	49/-	50/6	52/-	"
YPYEX	2202	" " " Single Tang, Banana Shaped Hdle ..	41/6	43/-	44/6	"
YNJOT	2203	" " " " " " " 10 Rivets, 11×4¾ inch			70/-	"
YNJRY	2205	" " " " " " " 10 Rivets, Banana Shaped Hdle., 11×4¾ inch ..			70/-	"
YOBFA	2253	MOULDER'S TROWEL 5×1 in., 16/-; 5½×1¼ in., 18/-; 6×1½ in., 20/-				"
		Size in Inches	5	5½	6	
YOBIP	2059	MASTIC TROWEL	16/6	17/6	18/6	
		Size in Inches	6	8	10	
YOBMI	2244	JOINT RULE	8/6	11/-	13/6	
			12	14	16	
YOBNE	2212	MASON'S JOINTER, Long, 5 inches × ⅛, ⅒, ¼ or ⅜ in. wide			12/6	"
YBOBF	2211	" " " Short, 2½ inches × ⅛, ¼, ⅒ or ⅜ in. wide			11/6	"
YOBUS	2214	" " " S shape, 10 inches × ⅛ in. wide			15/6	"
YOBXO	2217	GRANOLITHIC PLASTERING TROWEL			36/-	"
YOBYZ	2218	" " " GROOVER, 6 grooves, 5¼×2¾ in. 38/-; 10 Grooves, 6×4½ in. 40/- .. (See illustration on Page 48).				"
YOCDO	2216	GRANOLITHIC JOINTER 3 inches, 34/-; 4 inches 36/-				"
YRCEA	2219	" " " Bright on Face, 5¼×3 in. wide			24/-	"
YOCIH	2241	LINE PIN, Bright, Forged Steel			5/-	"
YOCMA	2243	" " " " " " "			5/-	"
		Size in Inches	7	8	9	
YOCOJ	2230	TINMEN'S SNIPS, Straight	16/-	17/6	19/-	
YPYNS	2231	" " " Bent	24/-	26/-	28/-	
			10	11	12	
			14			
			27/6	32/-	40/-	"
			32/-	36/-	42/-	"
			42/-	50/-		"

(See illustration on Page 47).

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwt. Qrs. lbs.	Cubic Measure Feet
2204	Case = 2 Doz., ea. 11×4, 11½×4¼, 12×4½ in.	33×24×14	1 0 10	6½
2206	Case = 2 Doz., ea. 11×4, 11½×4¼, 12×4½ in.	33×24×14	1 0 14	6½
2202	Case = 2 Doz., ea. 11×4, 11½×4¼, 12×4½ in.	33×24×14	1 0 8	6½
2203	Case = 6 Doz. 11×4¾ in.	32×24×13	1 0 18	5½
2253	Case = 2 Doz., ea. 5, 5½ and 6 in.	19×12×9	0 1 10	1
2059	Case = 6 Dozen	19×12×9	0 1 2	1
2244	Case = 6 Dozen Assorted 8, 10 and 12 ins.	18×8×5	0 1 22	1½
2212	Case = 6 Dozen ⅛ inches	19×13×9	0 1 27	1½
2211	Case = 6 Dozen ⅒ inches	19×11×9	0 1 14	1½
2214	Case = 6 Dozen ¼ inches	15×9×8	0 2 5	1½
2217	Case = 6 Dozen ⅜ inches	24×20×11	0 2 24	3½
2216	Case = 6 Dozen 3 inches	24×14×9	1 2 10	1½
2241	Case = 12 Dozen	19×8×5	0 0 25	1½
2243	Case = 12 Dozen	19×8×5	0 0 25	1½

BRADES STEEL WORKS, Near BIRMINGHAM.

2009 Alisdair Dowson

WILLIAM HUNT & SONS, THE BRADES, LTD.

HOES.

Forged from BEST QUALITY, High-Carbon Steel, machine made Eyes, smoothly finished and uniform in size. Blades Hardened and Tempered by our Scientific Heat controlled process which ensures a hard wearing Edge. Every Hoe critically examined and severely tested.

Cable Code	Patt. No.	Description	Size No.						Per Doz.
			00	0	1	2	3	4	
YOCVI	534	"BANJO" DEMERARA HOE	13/6	13/6	14/6	15/6	16/6	17/6	"
YOCYE	504	"EAGLE" " " " "	11/6	12/6	12/6	13/6	14/6	15/6	"
YOCZY	532	"GIRAFFE" CHIPPING OUT HOE	11/6	11/6	12/6	13/6	14/6	15/6	"
YODAB	1965	"GOOD TEMPER" CHIPPING OUT HOE	11/6	11/6	12/6	13/6	14/6	15/6	"
YMNII	531	"BANJO" CAROLINA HOE	13/6	14/6	15/6	16/6	17/6	18/6	"
YODDA	537	"BANJO" WEST INDIA HOE	11/6	12/6	13/6	14/6	15/6	16/6	"
YRIGZ	2092	"EAGLE" LIGHT WEST INDIA HOE	11/6	12/6	13/6	14/6	15/6	16/6	"
YODIG	548	"GIRAFFE" PLANTERS' HOE, Round Eye, Half Bright	15/6	15/6	16/6	16/6	17/6	17/6	"
YODLO	1978	"GOOD TEMPER" PLANTERS' HOE, Round Eye	11/6	11/6	12/6	13/6	14/6	14/6	"
YODNY	547	"GIRAFFE" PLANTERS' HOE, Oval Eye, All Bright	20/6	20/6	21/6	21/6	22/6	22/6	"
YODOW	546	"GIRAFFE" PLANTERS' HOE, Oval Eye, 1/2 Bright	15/6	15/6	16/6	16/6	17/6	17/6	"
YODPE	1968	"VENEZUELA HOE, 1/2 Bright and Blued	16/6	17/6	18/6	19/6	19/6	19/6	"
YODER	538	"GIRAFFE" P & HOE	18/6	19/6	20/6	21/6	21/6	21/6	"
YRHYI	539	"BANJO" " " " " Round Rib	21/6	22/6	23/6	24/6	24/6	24/6	"
YFZYX	1964	"BANJO" LUCEA HOE	15/6	16/6	17/6	17/6	17/6	17/6	"
YODGU	540	"GIRAFFE" BURR HOE, Half Bright and Blued	13/6	14/6	14/6	15/6	15/6	15/6	"
YODHI	1977	"GOOD TEMPER" HOE, Half Bright and Blued	12/6	12/6	12/6	13/6	13/6	13/6	"
YYPGH	495	"EAGLE" CHANGHOL	11/6	11/6	12/6	13/6	14/6	14/6	"
YOEAN	533	"EAGLE" POWRAH	10/6	10/6	11/6	11/6	13/6	14/6	"
YODUH	528	"GIRAFFE" WEEDING HOE	6 1/2 x 6 in. 1 1/2 lbs.	12/6	7 x 5 in. 2 lbs.	12/6	12/6	12/6	"
YODYL	1963	"COCKATOO" " " " "	6 1/2 x 6 in. 1 1/2 lbs.	11/6	7 x 5 in. 2 lbs.	11/6	11/6	11/6	"

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwts. Qrs. lbs.	Cubic Measure Feet
534, 504	Cask = 10 Dozens No. 2	24 x 22	2 2 15	6 1/2
532, 1965	Cask = 10 Dozens Assorted 00, 0, 1, 2, 3	22 x 21	2 3 16	5 1/2
531	Cask = 10 Dozens No. 1	24 x 23	3 0 19	7 1/2
537	Cask = 10 Dozens No. 2	20 x 19	2 3 12	4 1/2
538	Cask = 10 Dozens No. 3	24 x 23	3 1 21	7 1/2
540, 1977	Cask = 12 Dozens Assorted Sizes	20 x 18	3 0 8	3 1/2
546, 548	Cask = 10 Dozens No. 2	22 x 21	2 2 14	5 1/2
547, 1978		22 x 21	2 2 14	5 1/2
1968	Cask = 10 Dozens No. 3	26 x 24	2 3 20	8 1/2
528, 1963	Cask = 10 Dozens 2 lbs.	20 x 17	2 1 8	3 1/2
533	Cask = 12 1/2 Dozens No. 5	22 x 21	2 2 3	5 1/2
495	Cask = 12 1/2 Dozens No. 2	25 x 22	3 1 0	7 1/2
1964	Case = 2 Dozens No. 3	22 x 16 1/2 x 6 1/2	0 3 14	1 1/2

BRADES STEEL WORKS, Near BIRMINGHAM.

WILLIAM HUNT & SONS, THE BRADES, LTD.

HOES

Forged from BEST QUALITY, High-Carbon Steel, machine made Eyes, smoothly finished and uniform in size. Blades Hardened and Tempered by our Scientific Heat-controlled process which ensures a hard wearing Edge. Every Hoe critically examined and severely tested.

Cable Code	Patt. No.	Description	Size No.			Per Doz.	
			1	2	3		
YOEBT	1960	"GIRAFFE" EAST AFRICAN HOE, Oval Eye	15/6	15/6	16/6	"	
YOECO	659	"LION" " " " " " "	13/6	14/6	15/6	"	
YOEDF	699	"GIRAFFE" EAST AFRICAN HOE, Oval Eye, Hammer Head	15/6	16/6	17/6	"	
YOEEH	658	"LION" " " " " " "	14/6	14/6	15/6	"	
YOEHV	707	"GOOD TEMPER" GENERAL HOE	1 1/2 lbs. 9/9	1 lb. 10 oz. 10/6	2 10/6	3 1 lb. 14 oz. 11/6	"
YOEMR	525	CHANGKOL	10 x 7 1/2	10 1/2 x 7 1/2	10 1/2 x 7 1/2	"	
YOENS	1941	SORROCK	2 lb., 12 inches, 14/6	2 1/2 lb. 14 inches, 15/6	15/6	"	
YOEOZ	581	"GIRAFFE" GRUBBING HOE, Japanned Red	13/6	14/6	14/6	15/6	"
YOEPL	588	"COCKATOO" " " " " Japanned Black	11/6	12/6	12/6	13/6	"
YOERB	567	"GIRAFFE" " " " " Oval Eye, Oval Neck, 3/4 Bright and Blued	8 1/2 x 6 1/2	9 x 7	9 1/2 x 8 1/2	"	
YOESD	702	TRENCHING HOE, Curved	11 x 5	11 1/2 x 5 1/2	12 x 6	"	
YOETE	524	PATJOL, Steeled Inside	10 x 6 x 5 1/2	11 x 6 1/2 x 7	11 1/2 x 6 1/2 x 7 1/2	"	
YOEUG	706	PATJOL	2 1/2 lbs.	6 1/2 x 8 1/2 inches	14/6	"	
YOEUV	541	SEMERANG HOE, Bright and Japanned	3 lbs.	7 1/2 x 9 1/2 inches	19/6	"	
YOEWY	580	PATJOL HOE	1 lb.	4 x 3 1/2 inches	8/6	"	

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwts. Qrs. lbs.	Cubic Measure Feet
1960, 659	Cask = 10 Dozen	24 x 22	3 1 21	6 1/2
699, 658	Cask = 10 Dozen	24 x 22	3 1 21	6 1/2
707	Cask = 12 Dozen No. 1	20 x 18	2 1 2	3 1/2
525	Cask = 10 Dozen 4 lbs.	24 x 23	4 2 1	7 1/2
1941	Cask = 200 Only 12 inches.	34 x 25	4 1 8	12 1/2
581, 588	Cask = 12 Dozen 2 1/2 lbs.	26 x 23	3 0 14	8
567	Cask = 12 Dozen 2 1/2 lbs.	26 x 23	3 1 22	8
702	Cask = 10 Dozen 3 1/2 lbs.	26 x 23	3 3 26	8
524	Cask = 20 Dozen 3 1/2 lbs.	34 x 25	8 1 0	12 1/2
706	Cask = 10 Dozen 2 1/2 lbs.	20 x 19	2 3 12	4 1/2
541	Cask = 10 Dozen 3 lbs.	26 x 24	3 1 24	8 1/2
580	Cask = 830 Only 1 lb.	34 x 25	8 0 18	12 1/2

BRADES STEEL WORKS, Near BIRMINGHAM

HAMMERS

"BRADES" HAMMERS. All the Steel used is the Best Guaranteed Carbon Steel, it is specially analysed before being worked up. All Hammers are forged uniformly to shape and accurately to weight.

PATTERN 1713 is the finest Carpenters' and general purpose Hammer made. Faces hard but do not chip, claws tough and hard for gripping and drawing nails.

LANGLET HAMMERS, Nos. 1738, 1731, 1734 are made by "BRADES" Special Process, drop forged in one piece, thus giving a greatly superior Hammer and avoiding the risks of faulty welds and weakness inseparable from the usual method of manufacture.

Every Hammer separately examined and severely tested before being passed.

Cable Code	Patt. No.	Size No. Weight of Head, ozs.	Size No.								Per Doz.			
			0000 2	000 4	00 6	0 8	1 10	2 12	3 14	4 16		5 18	6 20	
YMUPX	1739	JOINER'S HAMMER	11/6	11/6	11/6	12/-	12/6	13/-	14/6	15/6	17/-	19/-	"	
Weight of Head, ozs.			6	8	10	12	14	16	13/-	14/-	15/-	16/-		18/-
YOKOM	1752	RIVETING HAMMER	Weight of Head, ozs.								"			
Size No.			1	2	3	4	13	16	20	24				
YOKSY	1729	TELEPHONE HAMMER, Polished Ash Handle 13 inch									"			
YOKUF	1721	Ball Pein, Polished Ash Handle												
YOKVO	1746	FARRIER'S HAMMER	10 oz. Head, 21/-; 12 oz. Head, 22/-								"			
Weight of Head, ozs.			13	16	20	24	32/6	34/-	35/6	37/-		29/-	30/6	32/-
YMUMY	1713	ADZE EYE NAIL HAMMER									"			
YNMHE	1715	" CRITERION " ADZE EYE NAIL HAMMER												
(See illustration on Page 48)											"			
YMUNB	1714	" " " " Bell Face												
YOKKE	1714B	" " " " (cheaper finish)									"			
Size No.			1	2	3	4	5	6	24/-	26/-		28/-	30/-	32/-
YMUTH	1738	CANTERBURY HAMMER									"			
YOKYK	1683	SCRIM HAMMER												
YOKZI	1734	UPHOLSTERER'S HAMMER									"			
YOLAJ	1731	GENTLEMEN'S HAMMER												
YMUSF	1776	CARPENTER'S HAMMER, Bright and Blued									"			
YOLBY	1777	CLAW HAMMER												
YRGCE	1745	HOUSEHOLD HAMMER									"			
Weight of Head, 1 1/2 lbs. 16/6														
" " " " 12 ozs. 14/-														

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwts. Qrs. lbs.	Cubic Measure Feet
1739	Case = 6 Dozen No. 2	23 x 15 x 13	3 9	2 1/2
1752	Case = 6 Dozen No. 3			
1729, 1721	Case = 6 Dozen No. 4			
1746	Case = 2 Dozen ea. No. 1, 2, 3, 4, 5 & 6	24 x 16 x 13	1 0 0	3
1713	Case = 6 Dozen	27 x 16 x 15	1 0 0	3
1714	Case = 6 Dozen No. 2	20 x 14 x 9	0 1 12	1 1/2
1738	Case = 6 Dozen No. 4	21 x 17 x 13	0 3 14	2 1/2
1734	Case = 10 Dozen No. 4	24 x 16 x 13	1 1 0	3
1731	Case = 6 Dozen	25 x 17 x 13	1 2 0	3
1777	Case = 6 Dozen	31 x 16 x 16	1 3 12	4 1/2
1745	Case = 6 Dozen 1 1/2 lbs.	17 x 13 x 13	0 2 14	1 1/2
		17 x 13 x 13	0 2 0	1 1/2
		24 x 16 x 14	1 1 6	3 1/2
		20 x 17 x 12	0 3 8	2 1/2

BRADES STEEL WORKS, Near BIRMINGHAM.

HAMMERS

"BRADES" HAMMERS are made from Special Quality, High-Carbon Steel, which is carefully analysed for its suitability before being put into work. All Hammers are forged at a low heat by highly skilled workmen and are uniform in size and accurate in weight. HARDENED and TEMPERED by our Scientific Heat-Controlled Process, giving a hard face centre with tough body, which eliminates the risk of faces cracking or denting. Every Hammer is severely tested and critically examined before it is passed.

Cable Code	Patt. No.	Weight, lbs.	1 1/2	2	2 1/2	3	3 1/2	4	Per Doz.			
			1	1 1/2	1 3/4	2	2 1/2	3				
YOLCA	1785	SMITH'S HAND HAMMER, Handled	19/-	20/-	22/-	24/-	26/-	28/-	Per Doz.			
YOLEO	1785	" " " Bright, Handled	25/-	26/-	28/-	30/-	32/-	34/-	"			
YOLHU	1706	CLUB HAMMER, Head only		17/6	18/6	20/-	21/6	23/-	"			
YOLIV	1706	" " Handled		21/6	22/6	24/-	25/6	27/-	"			
YOMEA	1702	BRICK HAMMER						28/6	"			
YOMGI	1684	BRICK HAMMER, Bright and Red						26/6	"			
Weight of Head, lbs.			1/2	3/4	1	1 1/2	1 3/4	2	2 1/2	3		
YMUKA	1773	ENGINEER'S HAMMER, Hickory Handle	18/-	18/3	19/-	20/-	22/-	23/6	25/6	30/-	35/-	"
YPYHV	1773	ENGINEER'S HAMMER, Hickory Hdle, Cheaper Grade	14/-	14/3	15/-	16/-	18/-	19/6	21/6	26/-	31/-	"
YNMAG	1773	ENGINEER'S HAMMER, Ash Handle	12/-	12/3	13/-	14/-	16/-	17/6	19/6	24/-	29/-	"
Same Prices as 1773												
YMUHE	1773	ENGINEER'S HAMMER, Ball Pein	Head		7/-	7/-	7/-	7/-	6 1/2 d.	Per Cwt.		
YMUID	1774	" " Cross Pein	only		pr.dz.	pr.dz.	pr.dz.	pr.dz.	pr.lb.			
Weight			1	2	3	4	5	6 lbs. & above				
YMTIW	1771	SMITH'S HAMMER, Ball Pein						56/6	54/-	52/6	Per Cwt.	
YMSYV	1792	SLEDGE HAMMER, Double Face	64/-	48/-	41/-	37/-	35/-	33/6	33/6			
YMTAK	1791	" " Straight Pein	}		66/6	50/6	43/6	39/6	37/6	36/-	"	
YMTDE	1790	" " Cross Pein	}								"	
YMTFY	1784	SLEDGE HAMMER, Continental Pattern	}								"	
YOLYC	1786	COOPER'S HAMMER		lbs. 2	2 1/2	3	3 1/2	4	Per Doz.			
YOMAW	1785	SMITH'S HAMMER		16/-	18/-	20/-	22/-	24/-	"			

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwt. Qrs. lbs.	Cubic Measure Feet
1785	Case = 3 Dozen 3 lbs. Heads	12 x 11 x 7	1 0 4	1 1/2
	Case = 3 Dozen 3 lbs. Handled	25 x 20 x 14	1 2 3	4 1/2
1706	Case = 6 Dozen 3 lbs. Heads	24 x 11 x 9	2 0 11	1 1/2
	Case = 6 Dozen 3 lbs. Handled	23 x 17 x 14	2 1 8	3 1/2
1702	Case = 6 Dozen	35 x 15 x 15	1 2 18	4 1/2
1684	Case = 6 Dozen	28 x 17 x 14	1 2 14	3 1/2
1773, 1774	Case = 6 Dozen 1 lb. Handled	21 x 17 x 13	1 0 8	2 1/2
	Case = 6 Dozen 1 1/2 lbs. "	22 x 19 x 15	1 2 0	3 1/2
	Case = 6 Dozen 2 lbs. "	24 x 20 x 16	1 3 24	4 1/2
	Case = 12 Dozen 1 lb. Heads	29 x 10 x 9	1 1 26	1 1/2
1773, 1774	Case = 12 Dozen 1 1/2 lbs. "	35 x 11 x 10	2 0 22	2 1/2
	Case = 12 Dozen 2 lbs. "	35 x 12 x 10	2 3 11	2 1/2
1771	Case = 2 Dozen 7 lbs.	20 x 9 x 8	1 2 14	1
1791, 1792	Case = 3 Dozen 4 lbs.	16 x 14 x 7	1 1 16	1
1790	Case = 3 Dozen 7 lbs.	18 x 14 x 9	2 1 15	1 1/2
1784	Case = 2 Dozen 8 lbs.	16 x 13 x 7	1 3 11	1
1786	Case = 3 Dozen 3 lbs.	12 x 12 x 7	1 0 4	1 1/2

BRADES STEEL WORKS, Near BIRMINGHAM.

WILLIAM HUNT & SONS, THE BRADES, LTD.

HAMMERS—Stone, Etc.

"BRADES" HAMMERS are made from Special Quality, High-Carbon Steel, which is carefully analysed for its suitability before being put into work. All Hammers are forged at a low heat by highly skilled workmen and are uniform in size and accurate in weight. HARDENED and TEMPERED by our Scientific Heat-Controlled Process, giving a hard face centre with tough body, which eliminates the risk of faces cracking or denting. Every Hammer is severely tested and critically examined before it is passed.

Cable Code	Patt. No.	Weight in lbs.	1	1 1/2	1 3/4	2 lbs. & above		
YMTYG	1757	STONE HAMMER, Round Eye } Black Faces	6/6	7/9	8/9	10/3	Doz. 46/-	
YMTZA	1758							
YOMJY	1677	NAPPING HAMMER, Bright Faces	7/3	8/6	9/6	11/-	50/-	
YOMKE	1755	SCALING HAMMER	3/4 lb. 6/6, 1 lb. 6/9 doz., 1 1/2 lbs. 6 3/4 d.					Per lb.
		Weight	4	5	6 lbs. & above			
YMTNO	1768	SPALLING HAMMER					Per Cwt.	
YMTOS	1769	DRESSING HAMMER	41/-	39/-	36/6			
YOMON	1662	MASON'S HAMMER	43/6	41/6	39/-			
YOMUV	1663	STONE SLEDGE HAMMER	52/-	49/-	47/6			
YMTKI	1778	PIN MAUL	Weights 4, 5, 6, 7 lbs. 6 3/4 d.					Per lb.
		Weights	4	5	6 lbs. & above			
YMTTU	1794	DRILL HAMMER					Per Cwt.	
YMTUJ	1796	" " Long Pattern	37/-	36/-	34/6			
YMUAG	1789	" " Sloping Top	39/-	37/-	34/6			
			45/-	43/-	39/6			
YOMYD	1669	DRILL POINTING HAMMER	1 1/2 lbs., 1/- per lb.					Per lb.
YMUCP	1782	BOILER SMITH'S HAMMER	1 1/2 lbs. and above				10d.	
YONAO	1783		2, 2 1/2, 3 lbs.				11d.	
YMUGM	1780	FARRIER'S SHOE TURNING HAMMER	2, 2 1/2, 3 lbs.				11d.	
YMUES	1798	PLATELAYER'S SPIKING HAMMER	2 1/2 lbs.				1/1	
YONEU	1800		6 lbs. and above				40/6	Per Cwt.
YONIK	1799	PLATELAYER'S KEYING HAMMER	6 lbs. and above				40/6	

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwts. Qrs. lbs.	Cubic Measure Feet
1757, 1758, 1677	Case = 2 Dozen each. 1, 1 1/2 lbs.	17 x 14 x 9	1 2 20	1 1/4
	Case = 3 Dozen each. 1 1/2, 2 lbs.			
1768, 1769	Case = 3 Dozen 1 1/2 lbs.	24 x 11 x 9	1 3 0	1 1/2
	Case = 2 Dozen 6 lbs.			
1794, 1796	Case = 3 Dozen 10 lbs.	18 x 15 x 9	2 0 7	1 1/2
	Case = 2 Dozen 4 lbs.			
1662	Case = 3 Dozen 6 lbs.	17 x 12 x 7	1 1 16	1 1/4
	Case = 2 Dozen 7 lbs.			
1663	Case = 3 Dozen 6 lbs.	19 x 13 x 8	2 0 6	1 1/4
	Case = 2 Dozen 6 lbs.			
1778	Case = 3 Dozen 10 lbs.	20 x 13 x 8	2 1 15	1 1/2
	Case = 2 Dozen 10 lbs.			
1789	Case = 2 Dozen 4 lbs.	20 x 11 x 10	2 0 9	1 1/2
	Case = 2 Dozen 4 lbs.			
1669	Case = 3 Dozen 6 lbs.	22 x 10 x 10	2 1 4	1 1/2
	Case = 2 Dozen 6 lbs.			
1782	Case = 3 Dozen 4 lbs.	16 x 9 x 8	0 3 24	1 1/2
	Case = 6 Dozen 4 lbs.			
1783	Case = 6 Dozen Asstd. 1 1/2, 1 3/4, 2 lbs.	18 x 11 x 9	1 1 20	1 1/4
	Case = 6 Dozen 2 lbs.			
1780	Case = 6 Dozen 2 lbs.	16 x 10 x 8	1 1 18	1 1/4
	Case = 6 Dozen 2 1/2 lbs.			
1798	Case = 6 Dozen 2 1/2 lbs.	17 x 9 x 8	1 0 20	1 1/4
	Case = 2 Dozen 2 1/2 lbs.			
1800	Case = 2 Dozen 7 lbs.	18 x 9 x 8	1 1 16	1 1/4
	Case = 2 Dozen 7 lbs.			
1799	Case = 2 Dozen 7 lbs.	22 x 15 x 13	1 3 0	1 1/2
	Case = 2 Dozen 7 lbs.			
		19 x 12 x 8	1 2 14	1 1/4
		19 x 12 x 8	1 2 14	1 1/4
		16 x 14 x 8	1 2 14	1 1/4

BRADES STEEL WORKS, Near BIRMINGHAM.

WILLIAM HUNT & SONS, THE BRADES, LTD.

SHOVELS

"BRADES" SHOVELS. Despite the many cheaper class of Shovels to be found "BRADES" SHOVELS remain the Standard for QUALITY WITH ECONOMY, a position they have held ever since a ONE-PIECE, SOLID STEEL SHOVEL took the place of the old-fashioned built-up Shovel of Iron and Steel. Cleverly formed with a graduated thickness from centre to sides and mouth, giving STRENGTH with LIGHTNESS; arched at back to stand all strains; Hardened at mouth for hard wearing; with a Bend (or lift) that makes for ease in use; fitted with selected TOUGH ASH HANDLES, they are as good SHOVELS as the BEST MATERIALS and SKILLED WORKMANSHIP can make them.

Cable Code	Patt. No.	Size No.	2	3	
		Size Inches	9 x 12 1/2	9 1/2 x 13	Per Doz.
YNEFG	1151	MINING SHOVEL, Bright, Round Mouth, Eye Handle	49/-	51/-	"
YONOR	1151		43/-	45/-	
		Size, Inches	10 x 12	10 1/2 x 12 1/2	
YONYV	1155	MINING SHOVEL, Bright, Round Mouth, Long Handle	49/-	51/-	"
YONWE	1155		43/-	45/-	
		Size, inches	9 1/2 x 12	10 x 12 1/2	
YNEGE	1153	MINING SHOVEL, Bright, Square Mouth, Eye Handle	49/-	51/-	"
YONXA	1153		43/-	45/-	
YONYB	1180	" " " " " " Long Handle	49/-	51/-	"
YOOCK	1180		43/-	45/-	
		ADD 1151B "GOOD TEMPER" Quality Bright	45/-	47/-	"
		TEMPER' 1153B	45/-	47/-	"
TOABOVE	1180B				"
		If Black, 6/- dozen Less			
		Size, Inches	9 x 12 1/2	9 1/2 x 13	
YNELS	1128	RIVETED BACK STRAP SHOVEL, Bright, Eye Handle	44/-	45/-	"
YOODY	1128		40/-	41/-	
		Inches	10 x 12	10 1/2 x 12 1/2	
YOOEP	1125	" " " " " " Bright, Long Handle	44/-	45/-	"
YOOFU	1125		40/-	41/-	
		Size, Inches	9 x 12 1/2	9 1/2 x 13	
YOOHL	1127	SOLID SOCKET SHOVEL, Round Mouth, Split "D" Handle	31/6	33/-	"
YOOLT	1225		33/6	35/-	
		Size, Inches	9 1/2 x 12	10 x 12 1/2	
YOOMS	1220	SOLID SOCKET SHOVEL, Square Mouth Split "D" Handle	31/6	33/-	"
YOONN	1226		33/6	35/-	

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwts. Qrs. lbs.	Cubic Measure Feet	Cost per Bundle
1151	Bundles of 1 Dozen, No. 2	38 x 10 x 13	0 2 2	2 1/2	Fully
1151B			0 2 4	3 1/2	
1155	" " No. 3	39 x 11 x 14	0 2 4	3 1/2	Fully
1155B			0 2 6	6	
1153	" " No. 2	62 x 11 x 15	0 2 8	6	Fully
1153B			0 2 6	3	
1180	" " No. 3	38 x 10 x 14	0 2 8	3 1/2	Fully
1180B			0 2 8	6	
1128	" " No. 2	62 x 11 x 15	0 2 10	6	Fully
1125			0 2 2	2 1/2	
1125B	" " No. 3	39 x 11 x 14	0 2 4	3 1/2	Fully
1127			0 2 6	6	
1220	" " No. 2	62 x 11 x 15	0 2 8	6	Fully
1225			0 2 6	3	
1225B	" " No. 3	39 x 10 x 14	0 2 8	3 1/2	Fully
1226			0 2 10	5	
	" " No. 2	61 x 10 x 13	0 2 10	4 1/2	

BRADES STEEL WORKS, Near BIRMINGHAM.

SHOVELS

NOTE.—Prices are for Eye Handles, except where otherwise stated.

“BRADES” SHOVELS. Despite the many cheaper class of Shovels to be found “BRADES” SHOVELS remain the Standard for QUALITY WITH ECONOMY, a position they have held ever since a ONE-PIECE, SOLID STEEL SHOVEL took the place of the old-fashioned built-up Shovel of Iron and Steel.

Cleverly formed with a graduated thickness from centre to sides and mouth, giving STRENGTH with LIGHTNESS; arched at back to stand all strains; Hardened at mouth for hard wearing; with a Bend (or lift) that makes for ease in use; fitted with selected TOUGH ASH HANDLES, they are as good SHOVELS as the BEST MATERIALS and SKILLED WORKMANSHIP can make them.

Cable Code	Part. No.	Size No. Inches	0 9 × 11½	1 9½ × 12	2 10 × 12½	3 10½ × 13	4 11 × 13½	Per Doz.
YNEIM	1100	LONDON SHOVEL	43/-	44/-	46/-	48/-	50/-	Per Doz.
YNOAM	24A	“ DREWS ”		33/-	35/-	37/-		“
YOOPO	1103	Treaded, Side Straps	48/-	49/-	51/-	53/-	55/-	“
YNEKX	1119	NAVY SHOVEL, Round Mouth,			46/-	48/-	50/-	“
YNOBI	30A	“ DREWS ”			35/-	37/-	39/-	“
YOOBG	1107	TAPER SHOVEL, Crutch Handle	Size No. Inches 9½ × 8 × 12 36/6	10 × 8½ × 12½ 39/6	10½ × 9 × 13 41/6			“
YNESO	1118	NAVY SHOVEL, Solid Neck, Bright Mouth		10½ × 12½ 49/-	11 × 13 51/-			“
YNETA	1097	SOLID NECK SHOVEL, Bright Mouth		9½ × 12 49/-	10 × 12½ 51/-			“
YNOCB	18	“ DREWS ”	9½ × 12 39/-	10 × 12½ 41/-	10½ × 13 43/-			“
YOOBR	1113	MOULDERS' SHOVEL, Crutch Handle	9 × 11 in., 36/6	10 × 12 in., 39/6				“
YOOUD	1176	STOKING SHOVEL, Iron Handle		Inches 7 47/-	8 49/-	9 51/-		“

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwts. Qrs. lbs.	Cubic Measure Feet	Cost per Bundle
1100, 24A	Bundles of 1 Dozen No. 1	38 × 10 × 14	0 2 7	3	Fully
1103	No. 2	38 × 11 × 15	0 2 9	3	
	No. 3	39 × 11 × 15	0 2 11	3	
1119, 30A	No. 2	39 × 11 × 13	0 2 8	3	Wrapped
	No. 3	39 × 12 × 13	0 2 10	3	
1107	No. 2	40 × 13 × 14	0 2 14	4	2/-
	No. 3	40 × 11 × 15	0 2 10	3	
1118	No. 2	40 × 11 × 15	0 2 12	3	Half
1097	No. 3	39 × 11 × 13	0 2 17	3	
18	No. 2	39 × 12 × 13	0 2 20	3	Wrapped
1113	No. 3	38 × 10 × 14	0 2 18	3	
	9 × 11	38 × 11 × 15	0 2 20	3	
1176	10 × 12	40 × 10 × 14	0 2 6	3	1/6
	7 ins.	41 × 11 × 15	0 2 8	4	
	8 ins.	46 × 8 × 12	0 3 6	4	
	9 ins.	47 × 9 × 12	0 3 9	4	
		47 × 10 × 12	0 3 12	4	

BRADES STEEL WORKS, Near BIRMINGHAM.

WILLIAM HUNT & SONS, THE BRADES, Near BIRMINGHAM.

SHOVELS & SCOOPS

“BRADES” SHOVELS. Hollow Socket Shovels are of two types, the Best Quality made from BAZ STEEL and the Cheaper Qualities made out of SHEET STEEL. The former, graduated in thickness down the RIB and CENTRE, tapering towards the sides and mouth, give, at a moderate extra in price, a Strong Shovel combining strength with lightness, they naturally last much longer, especially for heavy work. All First-Grade Shovels are fitted with Best Selected Ash Handles. Both the “B” and “C” Qualities are made from Hard Steel Sheets rolled in our Mills, and give good value at moderate prices.

Cable Code	Part. No.	Size No. Square Size, Inches Round Size, Inches	Eye Handle	Crutch Handle	1 9½ × 12	2 10 × 12½	3 10½ × 13	4 11 × 13½	5 11½ × 14	6 12 × 14½	7 12½ × 15	8 13 × 15½	Per Doz.
YOOVE	1152	“ Brades ” OPEN SOCKET SHOVEL, Square Mouth	“ Good ”	“ Express ”	33/-	34/-	35/-	36/-	37/-	38/-	39/-	40/6	40/6
YOOVU	1152B	“ Brades ” OPEN SOCKET SHOVEL, Square Mouth	“ Good ”	“ Express ”	28/-	29/-	30/-	31/-	32/-	33/-	34/-	35/6	35/6
YOOVY	1152C	“ Brades ” OPEN SOCKET SHOVEL, Square Mouth	“ Express ”	“ Brades ”	25/-	26/-	27/-	28/-	29/-	30/-	31/-	32/6	32/6
YOOVZ	1156	“ Brades ” OPEN SOCKET SHOVEL, Round Mouth	“ Good ”	“ Express ”	23/-	23/6	24/-	24/6	25/6	26/6	27/6	28/6	29/-
YOOVA	1156B	“ Brades ” OPEN SOCKET SHOVEL, Round Mouth	“ Good ”	“ Express ”	22/-	22/6	23/-	23/6	24/6	25/6	26/6	27/6	29/-
YOOVB	1156C	“ Brades ” OPEN SOCKET SHOVEL, Round Mouth	“ Express ”	“ Brades ”	22/-	22/6	23/-	23/6	24/6	25/6	26/6	27/6	30/-
YOOVC	1171	ALL METAL SHOVEL, Iron Eye Handle	“ Brades ”	“ Good ”
YOOVD	1141	“ Brades ” OPEN SOCKET SHOVEL, Round Mouth, Long Handle,	“ Good ”	“ Express ”
YOOVE	1142	“ Good ” OPEN SOCKET SHOVEL, Round Mouth, Long Handle	“ Good ”	“ Express ”
YOOVF	1140	OPEN SOCKET SHOVEL, Eye Handle (Split D Handle, 1/- Dozen extra)	“ Good ”	“ Express ”
YOOVG	1149C	“ RIFLO ” SHOVEL, Half Bright, Eye Handle	“ Good ”	“ Express ”
YOOVH	1213	“ RIFLO ” SHOVEL, Half Bright, Eye Handle	“ Good ”	“ Express ”
YOOVI	1213	“ RIFLO ” SHOVEL, Black, Eye Handle	“ Good ”	“ Express ”
YOOVJ	1178	STAMPED STEEL CORN SCOOP, Bright, Eye Handle	“ Good ”	“ Express ”
YOOVK	1177	FIVE-TED CORN SCOOP, Bright, Eye Handle	“ Good ”	“ Express ”
YOOVL	1177	FIVE-TED CORN SCOOP, Black, Eye Handle	“ Good ”	“ Express ”
YOOVM	1177	FIVE-TED CORN SCOOP, Bright, Eye Handle	“ Good ”	“ Express ”
YOOVN	1177	FIVE-TED CORN SCOOP, Black, Eye Handle	“ Good ”	“ Express ”
YOOVO	1176	LOCOMOTIVE STOKING SHOVEL, Stamped Steel, Clasped Crutch Handle	“ Good ”	“ Express ”
YOOVQ	1162	LOCOMOTIVE STOKING SHOVEL, Solid, Clasped Crutch Handle	“ Good ”	“ Express ”

WILLIAM HUNT & SONS, THE BRADES, LTD.

SHOVEL BITS, ETC. All SPADES and SHOVELS are made from the Best Quality of STEEL to suit the particular article; cleanly forged and accurate to sizes and weights. Attractive in appearance and carefully examined before being passed.

Cable Code	Patt. No.	Size No. Inches	000 5 1/4 x 9	00 5 1/4 x 9 1/2	0 6 1/4 x 10	1 6 1/4 x 10 1/2	2 7 1/4 x 11	Per Doz.	
YOROV	1083	RINGED SOCKET TRENCHING SPADE	14/3	15/3	16/3	17/3	18/6		
YORRU	1089	"CRIMINEL" SHOVEL, Ringed Socket	No. 8 1/2 x 10 1/2	No. 9 1/4 x 10 1/2	No. 10	No. 10 1/2	No. 11 1/2		
YORSA	1084	RINGED SOCKET SPADE, 1/4 Bright, Japanned Red	31/-	33/-	35/-	37/-			
YNFUF	1084	" " " " 1/4 Bright and Japanned	29/6	31/6	33/6	35/6			
YORUM	1086	" " " " Curved Blade, 1/4 Bright & Japanned	31/6	33/6	35/6	37/6			
YNFXE	1086	" " " " Curved Blade, 1/4 Bright & Japanned	30/-	32/-	34/-	36/-			
YORVE	1088	CHILIAN SHOVEL BIT, Ringed Socket, Half Bright and Japanned	21/6	22/-	22/6	23/-	23/6		
YORYX	1088	CHILIAN SHOVEL BIT, Ringed Socket, Quarter Bright and Japanned	20/6	21/-	21/6	22/-	22/6		
YOSBI	1193	"IQUIQUE" SHOVEL BIT, Blued	13/-	13/6	14/-	15/-	16/-		
YOSIA	1079	"HUARA" SHOVEL BIT, Self Colour	18/-	19/-	20/-	21/-	22/-		
YOSNU	1079	" " " " Quarter Bright and Blued	20/-	21/-	22/-	23/-			
YOSOE	1080	"LIMA" SHOVEL BIT, Self Colour	18/6	19/6	20/6	21/6	22/6		
YOSPY	1080	" " " " Quarter Bright and Blued	20/-	21/-	22/-	23/-			
YOSUO	1076	SPUD or SHOVEL BIT, South American, Narrow Pattern	19/6						
YOSYS	1082	"BOLIVIAN" SHOVEL BIT, Self Colour	18/6	19/6	20/6	21/6	22/6		
YOTAE	1082	" " " " Quarter Bright and Blued	20/-	21/-	22/-	23/-			
YOTEJ	1170	SOCKET MUD SHOVEL	4 1/4 x 9 1/2		4 1/2 x 10				
YOTHO	1185	PENGKALI Socket, Curved, Bright 3 in. up back, 4 x 9 inches, 2 1/2 lbs.	No. 000		No. 00				
YOTIH	1210	HAND SHOVEL, 6 1/2 inches	16/-		17/-				
YOTJU	1207	" " Small, 5 1/2 inches	15/6		9/-				
YRADY	1207	" " Knob Handle and Blade, Japanned Red	7/6		11/-				
YOTKY	1202	HAND SHOVEL, 6 1/2 inches	11/6		11/6				
YOTNI	1204	LEAD LADLE	3	3 1/2	4	4 1/2	5	5 1/2	6

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwt. Qrs. lbs.	Cubic Measure Feet
1083	Cask = 25 Dozen No. 000	36 x 28	4 0 6	16 1/2
1089	" = 25 Dozen No. 00	36 x 30	4 2 26	18 1/2
1084	" = 20 Dozen No. 000	36 x 28	4 3 10	16 1/2
1086	Case = 5 Dozen No. 00	36 x 28	4 0 12	16 1/2
1088	" = 5 Dozen 4 lbs.	34 1/2 x 22 1/2 x 15	2 1 26	6 1/2
1193	" = 5 Dozen 4 lbs.	32 x 26 x 16	2 1 19	7 1/2
1079	Wrapped Bundle 1 Dozen 2 lbs.	36 x 24 x 17	2 3 8	8 1/2
1080	" " 1 Dozen 3 1/2 lbs.	24 x 10 1/2 x 6	0 0 24	1
1076	" " 1 Dozen 3 1/2 lbs.	24 x 10 1/2 x 6	0 1 14	1
1082	" " 1 Dozen 3 lbs.	24 x 10 1/2 x 6	0 1 14	1
1170	" " 1 Dozen 3 lbs.	24 x 10 1/2 x 6	0 1 14	1
1185	Case = 15 Dozen 4 lbs.	24 x 10 1/2 x 6	0 1 14	1
1210	" = 10 Dozen 4 lbs.	24 x 10 1/2 x 6	0 1 21	1
1207	Wrapped Bundle 1 Dozen	30 x 25	3 0 18	10 1/2
1202	" " 1 Dozen	26 x 23	2 3 12	8
1204	Case = 6 Dozen Assorted 3 to 6 ins.	19 x 19 x 6	0 0 23	1 1/2
		21 x 9 x 10	0 0 18	1
		25 x 22 x 6	0 0 24	2
		26 x 20 x 18	1 1 14	5 1/2

BRADES STEEL WORKS, Near BIRMINGHAM.

2009 Alisdair Dowson

WILLIAM HUNT & SONS, THE BRADES, LTD.

SPADES

"BRADES" SPADES:—Made from Special High-Grade Carbon Steel, evenly tapered from shoulder to edge and strengthened down the centre, giving strength with lightness. Hardened and tempered by "BRADES" scientific process, giving a **SPRING TEMPER** blade with a sharp and lasting edge. Specially selected tough Ash Handles.

Cable Code	Patt. No.	Size No. Inches	EYE HANDLES			Per Doz.
			1	2	3	
YNGIU	921	LONDON TREADED SPADE, 3 Rivets, 1/4 Bright	44/6	45/6	47/6	
YOTUR	921	Extras: Half Bright, 4/-; Side Straps, 2/-				
YOTVA	933	"CRITERION" LONDON TREADED SPADE	39/6	40/6	42/6	
YNGJY	12A	"DREWS" LONDON TREADED SPADE, 3 Rivets, 1/4 Bright	35/-	37/-	39/-	
YNGKE	890	COLONIAL SPADE, All Bright	49/6	51/6	53/6	
YOUAT	890	" " " " Half Bright	43/6	45/6	47/6	
YOUCD	908*	SOLID STRAPPED SPADE, 1/4 Bright	51/-	52/-	54/-	
YOULL	908*	" " " " All Bright	61/-	62/-	64/-	
YOUEC	3*	"DREWS" SOLID STRAPPED SPADE, 1/4 Bright	39/-	41/-	43/-	
YOUFS	955*	FORK STRAPPED SPADE, Quarter Bright	53/-	54/-	56/-	
		* If Treaded, 2/6 extra.				
YOUHB	947	DOMINION SPADE, Solid Socket, All Bright	61/6	63/6	65/6	
YOUZH	947	" " " " 1/4 Bright and Red	48/-	49/-	51/-	
YRBUY	947B	"GOOD TEMPER"	42/6	43/6	45/6	
YABYW	906	"SAMSON" DOMINION SPADE, Solid, Strapped, All Bright	61/-	62/-	64/-	
YRCAW	906	" " " " " " " " 1/4 Bright	51/-	52/-	54/-	
		Size No. Inches	0	1	2	
			7 x 11	7 1/2 x 11 1/2	8 x 12	
YOUKV	897	"Good TEMPER" STAMPED STEEL SPADE, Turned Over Tread	30/6	31/-	32/-	
YOULE	896	"Pioneer" STAMPED STEEL SPADE Turned Over Tread	25/6	25/6	26/-	
YOUUMM	896C	" " " " Not Treaded	25/-	25/-	25/6	
YNGUV	83	"DREWS" STAMPED STEEL SPADE, Turned Over Tread	25/6	25/6	26/-	
		(See illustration on Page 40)				
YNGYD	898	STAMPED STEEL SPADE, Half Socket, Turned Over Tread			33/-	
YOUOP	899	" " " " Full Socket, Turned Over Tread			35/6	
YNHIV	902	ALL METAL SPADE, Galvanized Iron Eye Handle			39/-	
		Size No. Inches	1	2	3	
			7 x 11 1/2	7 1/2 x 12	8 x 12 1/2	
YNGMO	110	"DREWS" THICK TOP SPADE, 3 Rivets, Quarter Bright	35/-	37/-	39/-	

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwt. Qrs. lbs.	Cubic Measure Feet	Cost
921	Bundles of 1 Dozen, No. 1	39 x 9 x 12	0 2 9	2 1/2	
933	" " " " No. 2	40 x 9 x 14	0 2 12	3	
12A	" " " " No. 3	40 x 10 x 14	0 2 16	3 1/2	
890	" " " " No. 1	38 x 9 x 14	0 2 2	2 1/2	
	" " " " No. 2	39 x 9 x 14	0 2 4	2 3/4	
	" " " " No. 3	39 x 10 x 14	0 2 9	3 1/4	Fully
908, 955	" " " " No. 1	40 x 9 x 11	0 2 18	2 1/2	Wrapped
Drews 3	" " " " No. 2	40 x 9 x 12	0 2 20	2 3/4	
906	" " " " No. 3	41 x 9 x 14	0 2 24	3	
947	" " " " No. 1	39 x 9 x 11	0 2 14	2 1/4	2/-
947B	" " " " No. 2	40 x 9 x 12	0 2 18	2 3/4	
897	" " " " No. 0	39 x 11 x 10	0 2 3	2 1/4	Half
	" " " " No. 1	40 x 11 x 11	0 2 6	2 3/4	
	" " " " No. 2	40 x 12 x 12	0 2 9	3	
896	" " " " No. 0	39 x 11 x 10	0 1 24	2 1/4	Wrapped
896C	" " " " No. 1	40 x 11 x 11	0 2 0	3	
Drews 83	" " " " No. 2	40 x 12 x 12	0 2 2	3 1/2	1/6
898	" " " " No. 2	40 x 9 x 11	0 2 1	2 1/4	
899	" " " " No. 2	40 x 9 x 12	0 2 0	2 3/4	
902	" " " " No. 2	40 x 9 x 12	0 2 6	2 3/4	
	" " " " No. 1	39 x 9 x 12	0 2 6	2 3/4	
110	" " " " No. 2	40 x 9 x 12	0 2 9	2 3/4	
	" " " " No. 3	40 x 10 x 12	0 2 12	3 1/2	

BRADES STEEL WORKS, Near BIRMINGHAM.

WILLIAM HUNT & SONS, THE BRADES, LTD.

SPADES—GRAFTING TOOLS

"BRADES" SPADES. Made from Special High-Grade Carbon Steel, evenly tapered from shoulder to edge and strengthened down the centre, giving strength with lightness. Hardened and tempered by "BRADES" scientific process, giving a **SPRING TEMPER** blade with a sharp and lasting edge. Specially selected tough Ash Handles.

Cable Code	Patt. No.	Description	Price	Per Doz.
YOUNG	1221	SOLID SOCKET TOOL, Narrow, 7x6x13 inches, Split "D" Handle	32/6	
YOURK	1222	Wide, 7x7x13 inches	32/6	
YNGON	1224	SOLID SOCKET SPADE, Turned Over Tread, Split "D" Handle		
		No. 1, 6 1/2 x 11 1/2 inches	34/-	
		No. 2, 7 1/4 x 12 inches	40/-	
YNHUI	987	BORDER SPADE, No. 1 (5 1/2 x 9 inches), Half Bright and Red, Eye Handle	46/-	
YOUSU	987	No. 1 (5 1/2 x 9 inches), All Bright, Eye Handle	46/-	
YOUUW	987	No. 1 (5 1/2 x 9 inches), Half Bright and Red, Crutch Handle	33/-	
YOUVN	85	"DREWS" BORDER SPADE, No. 1, Quarter Bright and Varnished	32/-	
YPZFI	991	"CRITERION" SOCKET BORDER SPADE (5 1/2 x 9 inches), Crutch Handle	33/-	
YOUWO	992	BORDER SPADE, No. 2 (6 x 9 1/2 inches), Strapped Socket, Half Bright, Eye Handle	45/-	
YNHOB	992	All Bright, Eye Handle	49/-	
YOUYI	993	(6 1/2 x 10 inches), Strapped Socket, 1/4 Bright & Red, Crutch Handle	34/-	
YOUZF	226	DREWS BORDER SPADE (9 x 5 1/2 inches), Solid Socket, 1/4 Bright & Red, Crutch Handle	30/-	
YOYEM	86	(9 1/2 x 6 inches), Strapped Socket, 1/4 Bright & Red, Eye Handle	37/-	
YOWDU	989	SEASIDE or BORDER SPADE, 5 x 7 1/2 inch, Crutch Handle	12/-	

Size No.	1	2	3
Inches	6 x 6 x 12	6 1/2 x 6 1/2 x 12 1/2	7 x 7 x 13
YNFSY 918	49/6	51/6	53/6
YOYFY 918	41/6	43/6	45/6
YREFO 958	55/-	56/-	

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwt. Qrs. lbs.	Cubic Measure Feet	Cost				
1221	Bundle of 1 Dozen	40 x 9 x 15	0 2 6	3 1/2	Fully Wrapped 2/-				
1222									
1224									
987									
992									
918									
918									
973									
1058, 1060									
1058B, 1060B									
1059, 1061									
1059B, 1061B									
989									
Case									
	No. 2 Eye	38 x 9 x 17	0 3 0	3 1/2	Half Wrapped 1/8				
						No. 2 Crutch	41 x 9 x 11	0 2 9	2 1/2
		62 x 9 x 15	0 2 20	2 1/2					
		62 x 9 x 15	0 2 6	5					
		60 x 9 x 14	0 2 6	5					
		60 x 9 x 14	0 2 4	4 1/2					
		38 x 22 x 15	1 1 8	7 1/2					

BRADES STEEL WORKS, Near BIRMINGHAM.

WILLIAM HUNT & SONS, THE BRADES LTD.

DIGGING FORKS

"BRADES" DIGGING FORKS, etc. Much care and study has been given of late years to the manufacture of FORKS, to ensure the best possible article. The special "Spring Temper" Steel used gives, with our method of Hardening, that combination of Toughness with Elasticity that is essential to a good Fork. Other special features are a sound, strong junction of Straps to the Prongs, Straps securely Riveted to the Handle and smoothly rounded off. Selected grade of tough Ash Handles.

Cable Code	Patt. No.	Description	Eye Handles		Per Doz.
			4 Prongs	5 Prongs	
YOWIY	741	SOCKET DIGGING FORK, Best Quality	7 1/4 x 7 1/4 x 13	8 1/4 x 8 1/4 x 13	
YNHYC	743	STRAPPED DIGGING FORK, 3 Rivets	42/-	50/-	
YRGED	743	" " " " Bright and Red	46/-	54/-	
YOWOO	779	"PIONEER" STRAPPED DIGGING FORK, 3 Rivets	7 1/4 x 7 1/4 x 12 1/2	8 1/4 x 8 1/4 x 12 1/2	
YNICR	742	"SAMSON" DIGGING FORK, One-piece, Solid Neck, Half Bright and Red	7 1/4 x 7 1/4 x 13	50/-	
YNIAZ	43	"DREWS" DIGGING FORK, 3 Rivets	7 1/4 x 7 1/4 x 12 1/2	8 1/4 x 8 1/4 x 12 1/2	
YOWRA	738	DIGGING FORK, Oval Prongs, 3 Rivets, Bright and Blue	7 1/4 x 7 1/4 x 13	8 1/4 x 8 1/4 x 13	
YOWUT	748	POTATO FORK, 3 Rivets, V Back, Black	46/-	54/-	
YRALT	748	" " " " Half Bright and Red	49/-	57/-	
YOWYJ	45	"DREWS" POTATO FORK, 3 Rivets	41/6	49/6	
YNIDO	751	SPADING FORK, Strapped, 2 Rivets, Bright and Blue	7 1/4 x 7 1/4 x 11 1/2	8 1/4 x 8 1/4 x 11 1/2	
YRARG	765	Tanged and Ferruled	47/-	55/-	
		" 751, 765, With Long Handles, 2/- dozen less	42/-	50/-	
YOXAG	775	BOY'S FORK, Half Bright and Red, 6 1/2 x 7 x 11 inches		41/-	
YOXES	228	"DREWS" BOY'S FORK, 6 1/2 x 7 x 10 1/2 inches		34/-	
YPZIC	800	"CRITERION" SOCKET BORDER FORK, Crutch Handle, (See illustration on Page 49)	5 x 5 1/2 x 9 inches	33/-	
YOXID	773	BORDER FORK, Self Colour and Red, Eye Handle		39/-	
YNIEF	773	" " " " Half Bright and Red, Eye Handle		40/-	
YOXKA	773	" " " " Crutch Handle		33/6	
YOXMY	50	"DREWS" BORDER FORK, Self Colour, Eye Handle		31/6	
YOXOU	50	" " " " Half Bright and Red, 2/- dozen extra			

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwt. Qrs. lbs.	Cubic Measure Feet	Cost
743, 779	5 Prongs	42 x 10 x 10	2 6	2 1/2	
	4 Prongs	42 x 9 x 10	2 2	2 1/2	
742	4 Prongs	42 x 10 x 10	2 6	2 1/2	
	5 Prongs	42 x 9 x 10	2 4	2 1/2	
43	4 Prongs	42 x 9 x 10	2 0	2 1/2	
	5 Prongs	42 x 10 x 10	2 4	2 1/2	
738	4 Prongs	45 x 9 x 10	2 0	2 1/2	
	5 Prongs	45 x 10 x 11	2 6	3	
748	4 Prongs	42 x 9 x 10	2 7	2 1/2	
	5 Prongs	42 x 10 x 10	2 12	2 1/2	
45	4 Prongs	42 x 9 x 10	2 6	2 1/2	
	5 Prongs	42 x 9 x 10	2 11	2 1/2	
751, 765	4 Prongs	43 x 9 x 10	2 0	2 1/2	
	5 Prongs	43 x 10 x 10	2 4	2 1/2	
775, 228	4 Prongs	39 x 9 x 9	1 15	1 1/2	
	5 Prongs	39 x 9 x 9	2 12	2 1/2	
773	Bundles of 2 Dozen	4 Prongs	38 x 8 x 16	2 6	4
	5 Prongs	39 x 10 x 18	2 6	4	

BRADES STEEL WORKS, Near BIRMINGHAM.

WILLIAM HUNT & SONS, THE BRADES, LTD.

FORKS—Manure, Hay, &c.

"BRADES" MANURE FORKS, etc. The special feature of these Forks is their **LIGHTNESS** and **ELASTICITY** combined with Strength. Sound and strong in the neck, straps well rounded off and smooth to the hand, highly finished and attractively got up. All are fitted with selected tough Ash Handles.

Cable Code	Patt. No.	Prongs Inches	5		6		Per Doz.
			6 1/4 x 7 1/4 x 11	7 x 7 1/2 x 11 1/2			
YOYUC	746	POTATO FORK, Tanged and Ferruled, Round Prongs, Half Bright and Blued, Long Handle ..	49/-	59/-			
YOXXI	746	POTATO FORK, Tanged and Ferruled, Round Prongs, Half Bright and Blued, Eye Handle ..	51/-	61/-			
		Prongs Inches	4	5			
			8 x 9 x 13 1/2	9 x 10 x 13 1/2			
YNIJS	807	MANURE FORK, Oval Prongs, Bright and Red, Iron Eye Handle ..	43/-	51/-			
YOYAL	238	"DREWS" MANURE FORK, Oval Prongs, Half Bright and Red, Iron Eye Handle ..	36/-	42/-			
YNIHG	809	MANURE FORK, Oval Prongs, Bright and Red, Long Handle ..	41/-	49/-			
YOYBG	236	"DREWS" MANURE FORK, Oval Prongs, Half Bright and Red, Long Handle ..	35/-	41/-			
YNIHV	811	MANURE FORK, Oval Prongs, Bright and Red, Riveted Eye Handle ..	45/-	53/-			
YOY CZ	239	"DREWS" MANURE FORK, Oval Prongs, Half Bright and Red, Riveted Eye Handle ..	37/-	43/-			
YOYDN	793	MANURE DRAG, 4 Prongs, Square Prongs, 5 ft. Handle, 7 1/4 x 7 1/4 x 10 inches		49/-			
YOYEW	841	POTATO DRAG, 4 Prongs, Diamond Back, 5 ft. Handle, 7 1/4 x 8 1/2 x 10 inches		49/-			
YOYFC	842	VINE HOE DRAG, Tanged and Ferruled, 4 Prongs, 6 1/2 x 7 x 8 inches Diamond Back, 4 1/2 feet Handle, ..		45/-			
		Length of Handle, Feet	4	4 1/2	5	5 1/2	6
		Size of Prongs, Inches	10 x 5 1/2	11 x 6	12 x 6 1/2	13 x 7	14 x 7 1/2
YNIKL	821	HAY FORK, 2 Prongs, Tanged & Ferruled, Bright	25 6	28 6	31 6	36/-	
YOYGR	825	" " " " Half Bright and Blued ..	22 6	25 6	28 6	33/-	
YOYHA	822	" " " " 3 Prongs, Bright ..	32 6	35 6	38 6	43/-	
YNI MA	830	HAY FORK, 2 Prongs, Strapped, Bright ..	28 6	31 6	34 6	39/-	43/-
YOYIO	833	" " " " Half Bright and Blued ..	25 6	28 6	31 6	36/-	40/-
YOYLB	831	" " " " 3 Prongs, Bright ..	35 6	38 6	41 6	46/-	50/-

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwts. Qrs. lbs.	Cubic Measure Feet	Cost
746	Bundles of 1 Doz. 5 Prongs, Long Handle	60 x 10 x 9	0 1 17	3	Fully
807, 811	" " " " 6 Prongs	60 x 11 x 10	0 2 0	3 1/2	
238, 239	" " " " 4 Prongs	46 x 11 x 11	0 1 24	3 1/2	
809	" " " " 5 Prongs	46 x 12 x 11	0 2 0	3 1/2	
793	" " " " 4 Prongs	61 x 10 x 11	0 1 22	4	2-
841	" " " " 4 Prongs	61 x 11 x 11	0 1 24	4 1/2	
842	" " " " 4 Prongs	66 x 16 x 12	0 2 4	7 1/2	Half
821, 825	" " " " 4 Prongs	66 x 16 x 12	0 3 0	7 1/2	
822	" " " " 5 ft. x 12 in.	56 x 14 x 12	0 1 20	5 1/2	Wrapped
830, 833	" " " " 5 1/2 ft. x 13 in.	72 x 11 x 9	0 1 12	4 1/2	
831	" " " " 6 ft. x 14 in.	79 x 11 x 9	0 1 16	4 1/2	
		86 x 12 x 9	0 1 22	5 1/2	1 6

BRADES STEEL WORKS, Near BIRMINGHAM.

WILLIAM HUNT & SONS, THE BRADES, LTD.

FORKS—Plantation, Ballast, &c.

"BRADES STONE AND COKE FORKS. Strong well made Forks equal to the heavy work to which these Forks are put. The special "Spring Temper" Steel used gives, with our method of Hardening, that combination of Toughness with Elasticity that is essential to a good Fork. Other special features are a sound, strong junction of Straps to the Prongs, Straps securely Riveted to the Handle and smoothly rounded off. Selected Grade of tough Ash Handles.

Cable Code	Patt. No.	Description	Price	Per Doz.			
YOYNV	760	"BRADES" AGRICULTURAL FORK, 8 1/4 x 9 x 13 1/2 4 Prongs, 5 Rivets, Eye Handle	60/-				
YOYOD	756	"BANJO" " " " " " " " "	57/-				
		Length of Prongs	3 Prongs. Shoulder 8 1/2 in. Mouth 8 1/2 in.	4 Prongs. Shoulder 8 1/2 in. Mouth 9 1/2 in.			
YOYPT	772	PLANTATION FORK, Solid Tread, 8 inch Clasped Crutch Handle	12 in.	68/-	78/-		
YOYSP			15 in.	70/-	80/-		
YOYWP			18 in.	72/-	82/-		
YOYWI	776	PLANTATION FORK, Diamond Back, Solid Tread, 8 inch Clasped Crutch Handle	12 in.	70/-	80/-		
YOYVX			15 in.	72/-	82/-		
YOYVY			18 in.	74/-	84/-		
		Measurement in Inches	Prongs	8	10	12	14
			Width	9 1/2	12	15	
			Length	15 1/2	15 1/2	15 1/2	
			Space	1	1	1	
YOYZU	770	BALLAST FORK, Eye Handle ..	72/-	90/-	108/-		
YOZAR	826	STONE FORK, Tanged and Ferruled, Eye Handle ..					
		Measurement in Inches	Prongs	14	15	16	
			Width	18	18	18	
			Length	1 1/2	1	1 1/2	
YOZEI	769	COKE FORK, Diamond Prongs, Turned-up Sides, Crutch Handle. Iron Eye or Riveted Eye Handle	90/-	108/-	126/-		
YOZFO	763	SLUICING FORK, 1/2 Bright, Diamond Prongs, Long Hdle.	84/-	105/-	126/-		
YRGBO	763	" " " " Black " " " "	72/-	90/-	108/-		
		Prongs Weight, lbs.	3	4			
			3 1/2	4			
YOZIS	590	VINE HOE, Flat Prongs ..					
YNI NT	592	" " Square Prongs ..					
YOZLU	593	" " Square Prongs, Diamond Points ..	24 6	27 6			
YOZOA	597	VINE HOE, Ribbed Back, 2 Prongs ..	3 1/2	4	4 1/2		
		lbs.	31 6	33/-	34 6		

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwt. Qrs. lbs.	Cubic Measure Feet	Cost
760, 756	Bundles = 1 Dozen,	46 x 10 x 11	3 6	3	Fully
	" " " " 3 Prongs, 12 inches	43 x 13 x 14	3 15	4 1/2	
	" " " " " " 15 "	46 x 13 x 14	1 0 0	4 1/2	
	" " " " 4 Prongs, 12 "	48 x 13 x 14	1 0 8	5	
772, 776	" " " " " " 15 "	43 x 14 x 14	3 24	4 1/2	Half
	" " " " " " 18 "	46 x 14 x 14	1 0 6	5 1/2	
	" " " " 8 Prongs	48 x 14 x 14	1 0 16	5 1/2	Wrapped
770	" " " " " " 10 "	44 x 13 x 14	3 0	4 1/2	
	" " " " " " 12 "	44 x 14 x 14	3 10	5	
826	" " " " " " 10 "	45 x 15 x 15	1 0 0	5 1/2	
	" " " " " " 12 "	44 x 14 x 14	3 8	5	1 6
769	" " " " " " 10 "	53 x 16 x 15	1 0 0	7 1/2	
	" " " " " " 12 "	52 x 16 x 15	1 0 2	7 1/2	
763	" " " " " " 10 "	75 x 14 x 12	4 2 26	7 1/2	
590, 592	1 Cask = 10 Dozen.	28 x 25	4 0 0	10 1/2	14 6
593	" " " " 3 Prongs	30 x 25	5 0 0	11 1/2	17 6
597	" " " " 4 lbs.	26 x 24	3 2 6	8 1/2	13 6

BRADES STEEL WORKS, Near BIRMINGHAM.

GARDEN SHEARS

"BRADES" SHEARS are drop-forged from a High-grade Steel, scientifically HARDENED and TEMPERED so that they will carry a sharp, clean-cutting edge. Accurately ground and set to give a following cut. Fitted with Special Nut and Bolt that does not work loose. Polished Hardwood Handles firmly fixed on tangs. Attractively got up, which assists sales, "BRADES" Shears give every satisfaction to the user.

Cable Code	Patt. No.	Inches	7	8	9	10	
YRIHJ	2233	BRADES "GRIP-BLADE" GARDEN SHEARS ..	—	8/-	8/3	9/3	Per Pair
YNJTI	729	"BRADES" GARDEN SHEARS	5/6	5/6	5/9	6/9	"
YOYTK	730	" " " " With Pruning Notch	6/3	6/3	6/6	7/9	"
YOYXM	732*	"CRITERION" " " Light, Plain .. .	4/6	4/6	4/9	5/3	"
YOZUY	728*	" " " " " With Pruning Notch	5/-	5/-	5/3	5/9	"
YNJUB	733	"FAME" GARDEN SHEARS, Light, Plain, 8 inch				2/6	"
YPZOV	726	"FAME" " " " " 8 inch, With Pruning Notch				2/9	"
YOZYW	158*	"COBRA" " " " " Plain, 6 inch				1/9	"
YOZEZ	153	"BRADES" LADIES SHEARS, 6 inch .. .				4/9	"
YNJYU	731	"GRASSHOPPER" SHEARS, 7 inch .. .				4/9	"
YPABA	154	"DOROTHY," SHEARS, 4½ inch .. .				3/9	"
YRAXV	162*	"BRADES" LAWN SHEARS, 9 inch, Long Ferrules				10/-	"
		" " " " " With Rubber Buffers ..				Extra 6d.	"
YRBAR	164*	" " " " " With Two Wheels, Long Ferrules				12/6	"
YPAEL	163	"BRADES" EDGING SHEARS, 9 inch, Long Ferrules				10/-	"
YPADC	165	EDGING SHEARS, 9 inch, With Wheel, Long Ferrules				11/-	"
		Nos. 162, 163, 164, 165, if Pinned Through Handle				Extra 6d.	"
YPAFK	151	"CLIPIT," LADIES EDGING SHEARS, 8 inch, 32 inch Handle				9/-	"
YPAGZ	152	"CLIPIT," LAWN SHEARS, 7 inch, 32 inch Handle ..				9/-	"
YNKDI	727	"BRADES" LOPPING SHEARS, 3½ inch Blade 22 inch Handle				10/-	"
YNKIK	156	" SHEEP SHEARS, Straight, 7 inch .. .				29/-	Per Doz.
YNKOR	157	" " " " Bent, 7 inch .. .				29/6	"
YNKUP	155	"GRASSHOPPER" SPRING GRASS SHEARS, Straight, 6 inch				12/-	"

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwts. Qrs. lbs.	Cubic Measure Feet
2233, 729, 730	Case = 2 Dozen each 8, 9, 10 inches	35 x 24 x 13	2 1 0	6½
732, 728	Case = 2 Dozen each 8, 9, 10 inches	35 x 24 x 13	1 3 14	6½
733, 726	Case = 6 Dozen	33 x 24 x 11	1 3 0	5½
153	Case = 6 Dozen	19 x 16 x 12	2 5	2½
731	Case = 3 Dozen	23 x 20 x 12	1 0 24	3½
154	Case = 6 Dozen	15 x 13 x 12	2 1 16	1½
163	Case = 6 Dozen	54 x 25 x 19	2 1 12	14½
165	Case = 6 Dozen	54 x 47 x 19	4 3 12	28
727	Case = 2 Dozen	34 x 30 x 18	2 2 18	10½
151	Case = 2 Dozen	46 x 20 x 14	1 1 2	7½
152	Case = 6 Dozen	41 x 21 x 21	1 1 14	10½
156	Case = 6 Dozen	24 x 16 x 13	2 24	3
157	Case = 6 Dozen	24 x 16 x 13	2 24	3
158	Case = 2 Dozen	20 x 16 x 13	2 20	2½
162	Case = 2 Dozen	46 x 28 x 18	1 2 24	13½
164	Case = 2 Dozen	48 x 28 x 24	1 3 6	18½

BRADES STEEL WORKS, Near BIRMINGHAM.

GARDEN TOOLS—TROWELS, &c.

"BRADES" GARDEN TOOLS. Every article is the most approved design for practical purposes and acknowledged to be the best of its kind made. Forged from the Best Steel, carrying a hard, sharp edge, every point has been studied to make them handy in use. Neatly and attractively finished, they will be found to meet with a ready sale and give every satisfaction to the user. Trowels and Forks, Boxed in Half Dozens. Edging Irons, Parcelled.

Cable Code	Patt. No.	Inches	6	7	
YPAIN	634	"BRADES" GARDEN TROWEL, Solid, Bright and Blued	16/-	17/6	Per Doz.
YNLAH	645*	" " " " " Half Bright and Blued	12/6	13/6	"
YRAKF	615*	GARDEN TROWEL, Hollowed Tang	5/6		"
YPAJO	628	GARDEN TROWEL, "Stainless Steel," Mirror Polished	32/-		"
YPALM	633	" " " " " Solid, Bright and Blued, Long Handle	18/6	20/-	"
YNKYB	646	" " " " " Stamped, Half Bright and Red .. .	8/6		"
YNLEY	636	" " " " " Riveted, Blued	7/6		"
YPZSA	635*	" " " " " Solid Socket, All Bright	17/6		"
YPAMD	643	FERN TROWEL		9/6	"
YPANR	637	FERN TROWEL, in Leather Sheath		30/6	"
YPAPV	606*	BULB TROWEL, Socketed		7/6	"
YNLIC	639	HAND FORK, Ribbed, Bright and Blued		17/6	"
YPARY	681*	" " " " " "Stainless Steel," Mirror Polished ..		34/-	"
YNLOV	642	HAND FORK, Bright and Blued		9/6	"
YPASG	614*	" " " " " Self Colour and Red		7/6	"
YPATI	641	HAND FORK, Blued, 16 inch Handle		15/-	"
YPZVE	1938*	" " " " " Twisted Prongs, 28 inch, Polished Crutch Handle		22/-	"
YNLKO	1940	HAND FORK, Twisted Prongs, Japanned Red		9/6	"
YPAWF	1940	" " " " " " " " " " " 12 inch Handle		10/6	"
YPZUM	638*	" " " " " Oval Prongs, Blued		18/6	"
YPAXP	644	" " " " " Cranked, 12 inch Handle		21/6	"
YPAYU	604	EDGING IRON, 9 inch, Best, Solid Socket, Bright and Blued		30/6	"
YPBID	Eye Crutch	" " " " " with Eye Handle, 52/6; Crutch Handle		45/6	"
YPBOU	605	EDGING IRON, Solid, 8 inch, Tanged and Ferruled,			"
YPBYO	609	Bright and Gilt, Crutch Handle		31/-	"
YPCAO	609	EDGING IRON, Stamped Steel, 8 inches		15/-	"
YPYXJ	618*	Handled with Crutch Handle		27/-	"
YPPYM	16*	DAISY GRUBBER, 2 Prongs		5/6	"
YPZAH	617*	" " " " " 3 Prongs		9/6	"
YPZEY	619*	DAISY DRAWER, Bright and Blued		32/6	"
		" " " " " Bright and Red		20/-	"

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwts. Qrs. lbs.	Cubic Measure Feet
634	Case = 6 Dozen each 6, 7 inches	34 x 22 x 14	0 3 26	6
645, 628	Case = 12 Dozen	34 x 17 x 13	0 3 26	4½
633	Case = 6 Dozen	24 x 20 x 12	0 2 24	3½
646	Case = 12 Dozen	32 x 17 x 14	1 0 4	4½
636	Case = 6 Dozen	23 x 13 x 13	0 2 0	2½
643	Case = 12 Dozen	29 x 14 x 12	0 3 22	2½
642	Case = 6 Dozen	28 x 13 x 9	0 1 22	2
641	Case = 6 Dozen	24 x 23 x 11	0 3 12	3½
1940	Case = 12 Dozen	34 x 15 x 16	1 0 20	4½
644	Case = 6 Dozen	35 x 15 x 15	0 3 21	4½
604	Case = 6 Dozen Heads	26 x 14 x 10	0 3 10	2½
609	Case = 6 Dozen Heads	25 x 15 x 8	0 2 0	1½
609, 604	Case = 3 Dozen Handled	40 x 19 x 12	0 3 18	5½
605	Case = 3 Dozen Handled	40 x 19 x 12	0 3 20	5½

BRADES STEEL WORKS, Near BIRMINGHAM.

GARDEN HOES

"BRADES" GARDEN HOES. Solid Hoes are drop-forged from Special, Tough, High-Carbon Steel. Blade tapered in thickness to give strength with lightness and smooth surface for easy working, carefully hardened to ensure a sharp and lasting edge. All Hoes carefully examined and tested before being passed.

Cable Code	Patt. No.	Inches	3	4	5	6	7	8	9	Per Doz.
YPCDI	443	RIVETED HOE			8/-	8/6	9/-	10/-	11/-	15/-
YPCU	474	SOLID HOE			9/-	10/-	11/-	12/6	15/-	"
YPCIK	502	TRIANGULAR HOE			16/-	17/-	18/-	19/-	20/-	"
YPCUP	494	DUTCH HOE, Solid	18/-	18/-	18/-	19/6	21/6	24/-		"
YPCVY	490	" " Riveted		13/6	13/6	14/6	15/6			"
YPCWE	491	" " Centre Socket (or Paxton)		21/6	21/6	21/6	22/6	23/6	25/-	"
YPCXA	672	" " Stamped		7/-	7/6	8/-	8/6			"
YDAA	689	" " Centre Socket V Shape ..	6	7	8	9	10	11		"
			22/6	23/6	24/6	26/-	28/-	30/-		"
		Any of the above if handled with 5½ ft. Ash Handle							Extra 20/-	"
YDDEH	1970	PUSH & PULL HOE, 7 inch, 4 feet Handle, Japanned Red							27/6	"
YDHY	1970	" " " " Not Handled							12/6	"
YDIT	1969	TO & FRO HOE, 6 inch, 4½ feet Handle (See illustration on page 47)							Obsolete	"
YDLI	501	CANTERBURY HOE			2 Prongs, 17/6 ; 3 Prongs,				18/6	"
					Inches	5	6	7	8	
YDPMU	472	TURNIP HOE, Bright Mouth & GILT, 5½ feet Ash Handle			29/6	29/6	30/6	30/6		"
YDPUK	457	SOCKET GARDEN HOE, Blued, 4½ feet Ash Handle				33/6	33/6	33/6		"
YDEBL	677	FIELD HOE, Bright Mouth & GILT, 4½ feet Ash Handle				35/-	36/-	37/-		"
YDECI	679	" " Cheaper Grade, 4½ feet Ash Handle				32/-	33/-	34/-		"

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwts. Qrs. lbs.	Cubic Measure Feet
443	Case = { 3 Dozen each 6, 8 inches 6 Dozen 7 inches	28 x 12 x 12	0 3 16	2½
474	Case = { 3 Dozen each 6, 8 inches 6 Dozen 7 inches	28 x 12 x 12	1 0 16	2½
502	Case = 2 Dozen each 5, 6, 7 inches	26 x 14 x 12	0 2 8	2½
494	Case = 2 Dozen each 5, 6, 7 inches	33 x 16 x 11	1 0 6	3½
490	Case = 2 Dozen each 5, 6, 7 inches	35 x 13 x 12	0 3 14	3½
491	Case = 2 Dozen each 5, 6, 7 inches	35 x 13 x 11	0 2 12	3
672	Case = 2 Dozen each 5, 6, 7 inches	37 x 14 x 12	0 2 25	3½
689	Case = { 6 Dozen 8 inches 3 Dozen each 10, 11 inches	34 x 13 x 12	0 3 8	3
1970	Case = 12 Dozen Heads	35 x 14 x 12	0 3 23	3½
	Bundle = 2 Dozen Handled	29 x 18 x 9	3 20	2½
501	Case = 3 Dozen Handled	52 x 16 x 8	1 15	3½
	Bundle = 1 Dozen each 2 and 3 Prongs	24 x 15 x 11	1 0 4	2½
472	Case = { 1 Dozen 6 inches 1 Dozen 7 inches	72 x 11 x 10	1 4	4½
	Bundle = 2 Dozen each 6, 7, 8 inches	82 x 21 x 13	2 1 6	5
457	Case = { 1 Dozen 6 inches 1 Dozen 7 inches	60 x 12 x 9	1 8	3½
	Bundle = 2 Dozen each 6, 7, 8 inches	60 x 14 x 9	1 11	4½
677	Case = { 1 Dozen 6 inches 1 Dozen 7 inches	70 x 25 x 14	2 1 0	14
	Bundle = 2 Dozen each 6, 7, 8 inches	60 x 14 x 10	1 10	4½
679	Case = { 1 Dozen 6 inches 2 Dozen each 6, 7, 8 inches	60 x 15 x 11	1 16	5½
	Bundle = 2 Dozen each 6, 7, 8 inches	70 x 25 x 14	2 1 14	14

BRADES STEEL WORKS, Near BIRMINGHAM.

HOES—RAKES

"BRADES" GARDEN RAKE. Pattern 630 is a well designed one-piece general purpose Rake, made from "Spring temper" Steel, light and handy; it will give continuous wear almost to the back. Pattern 622 is another popular pattern; strong and soundly made. This Rake is good value and finds a ready sale.

Cable Code	Patt. No.	Description	Teeth	8	10	12	14	16	Per Doz.
YNLRU	684	DOUBLE HOE	2½ and 3 inches, 12/6 ; 3½ and 4 inches						13/6
YNLSA	685	HOE with 2 Prongs							15/6
YNLUM	686	HOE with Prongs	4 inches						15/6
YNLYX	687	HOE with Plough	4 inches						19/-
YPEDU	509	THISTLE HOE	2 and 3 inches						15/-
YPEEG	486	THISTLE HOE, Australian Pattern, Hammer Head	3 inches						15/-
YPEHS	484	" " Plain Head	3 inches						10/6
YPEIY	487	RABBITING HOE, 1½ lbs.							17/-
YPEJE	713	" " 1½ lbs., with Axe Head							17/-
YPELV	511	SOLID SPUD	1½ and 2 inches						10/-
YPENC	511	" " With Walking Stick Handle							27/-
YRAEP	1286	CULTIVATOR, 3 Prongs, 12 inch Ash Handle							18/-
YRAFP	1286	" " 3 " 4 ft. " " " "							31/6
YRAFL	1287	" " 5 " 4 ft. " " " "							42/6
		(See illustration on Page 48)							
			Teeth	8	10	12	14	16	
YNKVV	622	GARDEN RAKE, Forged Steel, Japanned		11/6	13/-	14/6	15/6	18/6	"
YEPEN	632	GARDEN RAKE, Bright and Blued		20/-	22/-	24/6	27/-	29/6	"
		Handled with 5½ feet ASH HANDLES					Extra 20/-		"
		(Cheaper Grade)					17/-		"
			Teeth	8	10	12	14	16	
YNKWE	630	GARDEN RAKE, Forged Steel, Half Bright and Gilt, 5½ ft. Ash Handle		37/-	38/-	39/-	41/-	43/6	"
YPERA	630A	GARDEN RAKE, Forged Steel, Japanned Black, " "		32/6	33/6	35/-	36/-	37/6	"
YRBEI	627	GARDEN RAKE, Forged Steel, Light, Self Colour, 5 ft. Ash Handle		29/-	30/-	31/6			"
		(See illustration on page 47)							
YNKXA	625	GRAVEL RAKE, Strong Oval, Teeth				25/6	31/-	36/-	"
		Handled 5½ feet Ash Handle				20/-	20/-	20/-	"
YPEUT	626	ROAD RAKE, Head only		37/-	40/-	48/-	55/-		"

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwts. Qrs. lbs.	Cubic Measure Feet
684	Case = 12 Dozen Asstd. 2½, 3, 3½, 4 inches	39 x 12 x 12	1 0 20	3½
685	Case = 12 Dozen	39 x 12 x 12	1 1 0	3½
686	Case = 6 Dozen	27 x 12 x 9	0 2 6	1½
687	Case = 6 Dozen	21 x 12 x 12	0 2 9	1½
509	Case = 12 Dozen	20 x 13 x 8	0 2 26	1½
486, 484	Case = 12 Dozen	38 x 13 x 10	2 2 12	2½
487	Case = 12 Dozen	36 x 12 x 11	2 0 22	2½
713	Case = 6 Dozen	19 x 12 x 11	1 0 0	1½
511	Case = 6 Dozen each, 1½ and 2 inches	24 x 10 x 10	0 2 18	1½
622	Case = 4 Dozen each, 10, 12 and 14 Teeth	28 x 17 x 14	1 3 21	4
632	Case = 4 Dozen each, 10, 12 and 14 Teeth	48 x 18 x 15	2 0 10	7½
630	Case = 4 Dozen each, 10, 12 and 14 Teeth	78 x 25 x 22	4 2 10	24½
	Bundle = 1 Dozen	72 x 12 x 9	0 1 6	4½
	Bundle = 1 Dozen 8 Teeth. Handled	72 x 14 x 9	0 1 8	5
	Bundle = 1 Dozen 10 Teeth. " "	72 x 16 x 9	0 1 10	6
	Bundle = 1 Dozen 12 Teeth. " "	72 x 16 x 9	0 1 10	6
625	Case = 2 Dozen each, 12, 14 and 16 Teeth	39 x 22 x 15	2 1 24	7½

BRADES STEEL WORKS, Near BIRMINGHAM.

WILLIAM HUNT & SONS, THE BRADES, LTD.

GARDEN TOOLS IN SETS

"BRADES" GARDEN TOOLS IN SETS are arranged to suit all tastes and all "pockets." They are practical tools, not toys, made by skilled workmen on the same principles as tools for practical Gardeners. What more useful or acceptable form of present? Well finished and attractively got up, they find a ready sale.

Cable Code	Particulars	Measurement Inches	Gross Weight Cwt. Qrs. lbs.	Cubic Measure Feet
Set with Eye Handles Large YPEVP	"BRADES" GARDEN TOOLS, IN SETS. "CRITERION" SET, Large Size. Bright and Gilt.	15 1/2	18 6	21 6
Set with Crutch Handles Large YPEZD Small YPFAP	"CRITERION" SET, Small Size, Bright and Red			
Set with Eye Handles YPFJF Set with Crutch Handle YPFEL	"PIONEER" SET, Japanned Red	15 1/2	18 6	21 6
3 Pieces YPFJA 4 Pieces YPFME 5 Pieces YPFOY	CHILDREN'S SET, Japanned Red			

PACKING—APPROXIMATE ONLY.

Case	Particulars	Measurement Inches	Gross Weight Cwt. Qrs. lbs.	Cubic Measure Feet
1 Dozen Sets.	Large, "CRITERION"	67 x 19 x 16	1 1 17	11 1/2
" " "	Small, "CRITERION"	54 x 19 x 15	1 0 19	9
" " "	"PIONEER"	54 x 19 x 15	1 0 14	9
" " "	3 Piece Children's Sets	32 x 22 x 10	0 1 26	4 1/2
" " "	4 Piece " "	32 x 22 x 13	0 2 9	5 1/2
" " "	5 Piece " "	32 x 22 x 13	0 2 12	5 1/2

BRADES STEEL WORKS, Near BIRMINGHAM.

WILLIAM HUNT & SONS, THE BRADES, Near BIRMINGHAM.

CARPENTERS' CHISELS—Handled

Crucible Cast Steel. Full Weight, accurate to size, critically examined and tested. Fully Warranted.

"BRADES" FIRMER CHISELS AND GOUGES are made from the finest CRUCIBLE CAST STEEL, Hammer Forged, which consolidates and toughens the Steel. By precision methods of Grinding, uniformity in strength and accuracy in size are ensured. Hardened and Tempered by our scientific Heat-Controlled Process, which ensures uniformity of temper on the cutting edge, which is the essence of a perfect Edge Tool. FULL WEIGHT Carefully tested and critically examined before being passed. FULLY WARRANTED.

Cable Code	Particulars	Inches	Gross Weight Cwt. Qrs. lbs.	Measurement Inches	Gross Weight Cwt. Qrs. lbs.	Cubic Measure
YMYFG 2423	FIRMER CHISEL, Round Handle	6 9	7 3	8 6	9 10	11 1/2
YMYFK 2435	Bevelled Edges, Round Handle	10 9	11 3	12 6	13 14	15 1/2
YMYSU 2430	Boxwood Carving Tool Handle	8 6	9 9	10 3	11 3	12 1/2
YMYTH 2425	Octagon Boxwood Handle	9 6	10 6	11 3	12 3	13 1/2
YMYUW 2434	Bevelled Edges, Octagon Boxwood Handle	13 6	13 9	14 6	15 3	16 1/2
YMYWO 2467	Bevelled Edges, Boxwood Carving Tool Handle	12 6	12 9	13 3	14 3	15 3/4
YMYXY 2428	REGISTERED CHISEL, Handled	12	12 3	13 3	14 6	15 9
YMYYL 2446	LONG THIN PARING CHISEL, Round Handle	10 3	10 6	11 3	12 3	13 6
YMYZF 2482	Bevelled Edges, Octagon Boxwood Handle	19 3	19 3	20 1/2	21 3	22 3
YMYAJ 2445	TURNING CHISEL, Round Handle	10 6	11 1	11 9	12 6	13 6
YMYBZ 2447	JOINERS MORTICE CHISEL, Beech Handle	23 6	23 6	24 6	25 9	26 6
YMYCA 2412	SASH MORTICE CHISEL, London Pattern, Beech Carving Tool Handle	21	21	22	23	24
YMYEO 2459	POCKET CHISEL, Round Handle	12 6	13	13 6	14 6	15 6
YMYHU 2415	LIGHT SOCKET FIRMER CHISEL, Round Handle	15 6	16 3	17 6	18 6	19 6
YMYLU 2469	LIGHT, SOCKET FIRMER CHISEL, Bevelled Edges, Round Handle	16 3	16 3	17 6	18 6	19 6
YMYOB 2429	SOCKET CHISEL, Blueed, Ring Head Handle	9 9	9 9	10 3	10 3	10 3
YMYZI 2452	FIRMER GOUGE, Round Handle	11 3	11 6	12 1/2	13 1/2	14 1/2
YMYZC 2474	Boxwood Carving Tool Handle	12 3	12 6	13 1/2	14 1/2	15 1/2
YMYAC 2449	Octagon Boxwood Handle	12 3	12 6	13 1/2	14 1/2	15 1/2

CARPENTERS' CHISELS

Crucible Cast Steel. Full Weight, accurate to size, critically examined and tested. Fully Warranted.

"BRADES" FIRMER CHISELS AND GOUGES are made from the finest CRUCIBLE CAST STEEL, Hammer Forged, which consolidates and toughens the Steel. By precision methods of Grinding, uniformity in strength and accuracy in size are ensured: Hardened and Tempered by our scientific Heat-Controlled Process, which ensures uniformity of temper on the cutting edge, which is the essence of a perfect Edge Tool. Full weight; carefully tested and critically examined before being passed. FULLY WARRANTED.

Cable Code	Patt. No.	Inches	1	1 1/8	1 1/4	1 1/2	1 3/4	1 7/8	2	Per Doz.								
YNA8V	2401	FIRMER CHISEL	4/3	4/6	4/9	5/3	5/6	6/6	7/6	8/6	10/6	11/6	12/6	13/6	15/6	16/6	18/6	20/6
YNA8N	2407	" Bevelled Edges	8/3	8/6	8/9	9/3	9/6	10/6	11/6	12/6	16/6	17/6	18/6	19/6	20/6	24/6	26/6	28/6
YNA8B	2405	LONG THIN PARING CHISEL	7/6	7/9	7/12	8/6	8/9	9/6	10/6	11/6	14/6	15/6	16/6	17/6	18/6	21/6	23/6	25/6
YNA8E	2406	" " " Bevelled Edges	13/6	13/9	13/12	14/6	14/9	15/6	16/6	17/6	20/6	21/6	22/6	23/6	25/6	28/6	30/6	32/6
YNA8P	2408	COACHMAKERS' CHISEL	7/3	7/6	7/9	8/6	8/9	9/6	10/6	11/6	13/6	14/6	15/6	16/6	18/6	20/6	22/6	24/6
YNA8R	2404	TURNING CHISEL	6/6	6/9	6/12	7/6	7/9	8/6	9/6	10/6	11/6	12/6	13/6	14/6	16/6	18/6	20/6	22/6
YNA8J	2411	JOINERS' MORTICE CHISEL	14/6	14/9	14/12	16/6	16/9	17/6	18/6	19/6	22/6	23/6	24/6	25/6	28/6	30/6	32/6	34/6
YNA8M	2472	SASH MORTICE CHISEL, London Pattern	18/6	18/9	18/12	20/6	20/9	21/6	22/6	23/6	26/6	27/6	28/6	29/6	32/6	34/6	36/6	38/6
YNA8F	2413	SOCKET CHISEL, Bright and Blued	7/6	7/9	7/12	8/6	8/9	9/6	10/6	11/6	13/6	14/6	15/6	16/6	18/6	20/6	22/6	24/6
YNA8I	2416	SOCKET BLOCKMAKERS' CHISEL, 16 in. long	7/6	7/9	7/12	8/6	8/9	9/6	10/6	11/6	13/6	14/6	15/6	16/6	18/6	20/6	22/6	24/6
YNA8S	2431	FIRMER GOUGE	7/6	7/9	7/12	8/6	8/9	9/6	10/6	11/6	13/6	14/6	15/6	16/6	18/6	20/6	22/6	24/6
YNA8T	2431	" In-Channel	7/3	7/6	7/9	8/6	8/9	9/6	10/6	11/6	13/6	14/6	15/6	16/6	18/6	20/6	22/6	24/6
YNA8U	2436	TURNING GOUGE	7/9	7/12	7/15	8/6	8/9	9/6	10/6	11/6	13/6	14/6	15/6	16/6	18/6	20/6	22/6	24/6
YNA8V	2437	LONG THIN PARING GOUGE, In-Channel	12/9	12/12	12/15	14/6	14/9	15/6	16/6	17/6	20/6	21/6	22/6	23/6	26/6	28/6	30/6	32/6
YNA8W	2438	COACHMAKERS' GOUGE	10/3	10/6	10/9	11/6	11/9	12/6	13/6	14/6	16/6	17/6	18/6	19/6	22/6	24/6	26/6	28/6
YNA8X	2440	SOCKET GOUGE	10/3	10/6	10/9	11/6	11/9	12/6	13/6	14/6	16/6	17/6	18/6	19/6	22/6	24/6	26/6	28/6

WILLIAM HUNT & SONS, THE BRADES, LTD.
TURNSCREWS, DRAWING KNIVES, ETC.

"BRADES" TURNSCREWS, DRAWING KNIVES, etc., are manufactured from the best High-Carbon Steel; Hammer-forged. Scientifically Hardened and Tempered to carry a sharp and lasting edge. Well finished; polished hardwood Handles. Put up in Cardboard Boxes.

Cable Code	Patt. No.	Inches	3	4	5	6	7	8	10	Per Doz.		
YNA8X	2360	LONDON TURNSCREW	8/6	9/6	10/6	12/6	14/6	16/6	20/6	"		
YNA8Y	2365	CABINET TURNSCREW	7/6	8/6	9/6	10/6	12/6	14/6	17/6	"		
YNA8Z	2366	CABINET TURNSCREW	Discontinued during the War							16/6	17/6	"
YPA8A	2368	ELECTRICIAN'S TURNSCREW (Genuine Boxwood Handle) (See illustration on page 48)	7/6	7/6	7/8	8/4	8/8	9/6	10/3	"		
YNA8C	2381	PLANE IRON, Single	8/6	8/9	9/6	10/6	10/6	12/6	13/3	14/6		
YNA8D	2380	PLANE IRON, Double	16/3	16/9	17/9	18/6	19/3	21/3	23/3	24/9		
YPA8B	2383	PLANE IRON BACK, Brass Nuts	6/3	6/3	6/6	6/9	7/6	7/6	8/3	9/6		
YNA8E	2394	SPOKESHAVE, Beechwood	Inches				2 1/2	2 1/2	2 3/4	2 3/4	"	
YNA8F	2395	" " Plated	Discontinued during the war				2 1/2	3	3 1/2	4	"	
YPA8C	2396	SPOKESHAVE, Boxwood	Inches				2 1/2	3	3 1/2	4	"	
YPA8D	2387	" " Plated	Discontinued during the war				2 1/2	3	3 1/2	4	"	
YNA8G	2289	DRAWING KNIFE	Inches						42/6	44/6	46/6	"
YNA8H	2400	" "	Inches						30/6	32/6	34/6	"
YMA8I	1452	SHIP SCRAPER 4 1/2 inches	Inches						19/6	19/6	19/6	"
YPA8J	1455	" " 4 1/2 inches Second Quality	Inches						15/6	15/6	15/6	"
YPA8K	1693	SLATERS' RIPPER	Inches						40/6	40/6	40/6	"
YPA8L	1351	PLUMBER'S SHAVE HOOK, Heart Shape	Inches						10/6	10/6	10/6	"
YPA8M	1354	PLUMBER'S SHAVE HOOK, Triangular	Inches						20/6	20/6	20/6	"
YPA8N	1466	HACKING KNIFE	Inches						15/6	15/6	15/6	"
YPA8O	1470	" " All Steel	Inches						15/6	15/6	15/6	"

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwts. Qrs. lbs.	Cubic Measure Feet
2360	Case = { 4 Dozen each, 6, 7 inches 2 Dozen each, 5, 8 inches	23 x 16 x 13	0 2 26	2 1/2
2365				
2366				
2368	Case = { 4 Dozen each, 6, 7 inches 2 Dozen each, 5, 8 inches	24 x 17 x 5	0 1 16	1 1/2
2381	Case = 6 Dozen Assorted 2 to 2 1/2 inch	16 x 9 x 3	0 1 21	1 1/2
2380	Case = 6 Dozen Assorted 2 to 2 1/2 inch	16 x 9 x 6	0 2 7	1 1/2
2394	Case = 2 1/2 Dozen, each 2 1/2, 3, 3 1/2, 4 inch	24 x 17 x 13	0 2 12	3
2395				
2289	Case = 6 Dozen 8 inch	30 x 18 x 14	1 0 0	4 1/2
2400	Case = 6 Dozen 9 inch	30 x 19 x 14	1 0 14	4 1/2
1452	Case = 6 Dozen 10 inch	36 x 21 x 15	1 1 10	6 1/2
1455	Case = 6 Dozen	28 x 19 x 12	0 3 16	3 1/2
1693	Case = 3 Dozen	39 x 8 x 7	0 3 16	1 1/2
1351	Case = 6 Dozen	19 x 12 x 10	0 1 8	1 1/2
1354	Case = 6 Dozen	21 x 12 x 6	0 1 27	1

BRADES STEEL WORKS, Near BIRMINGHAM

CANE KNIVES—Boxed

"BRADES" CANE KNIVES are made of a special analysis Alloy Steel containing rare and expensive elements which combine strength and enduring qualities with a lasting sharp cutting edge. Hardened under modern scientific methods uniformity in temper is ensured.

Each knife is machine ground and severely tested by slapping on a flat plate bending to an arc of a circle, and striking the edge on Lignum Vitæ, the hardest known wood.

Well seasoned Hardwood Handles.

Cable Code	Patt. No.				Per Doz.
YMYNA	1637	"GIRAFFE" CANE KNIFE, Natal Pattern, Wire Bound Handle, 15 inch blade	23/3		
YMYLE	1635	"BRADES" " " Argentine Pattern, 16 inch blade	25/-		
YPIEN	1640	"GIRAFFE" " " Fiji Pattern, 14½ inch blade	22/-		
YPIFL	2297	"SAMSON" " " Queensland Pattern, 11½ inch blade, Long Straight Handle	18/6		
YPIGA	2299	" " " " " " 11½ inch blade, Short Hook Handle	18/6		
YPIHX	2298	" " " " " " 11½ inch blade, Long Hook Handle	18/6		
YPIKT	1641	"EAGLE" " " Cuban Pattern, 14½ inch blade	22/-		
YPING	1642	" " GRASS KNIFE, Cuban Pattern, Curved, Horn Handle ..	28/6		
YPIOM	1601	" " " " " " Straight, Horn Handle ..	27/6		

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwts. Qrs. lbs.	Cubic Measure Feet
1637	Case = 10 Dozen	24 × 21 × 13	1 3 5	3½
1635	Case = 10 Dozen	25 × 21 × 14	1 3 24	4½
1640	Case = 5 Dozen	24 × 15 × 9	0 3 25	2
2297	Case = 10 Dozen	23 × 19 × 15	1 1 22	3½
2299	Case = 10 Dozen	20 × 19 × 15	1 1 14	3½
2298	Case = 10 Dozen	21 × 18 × 15	1 1 7	3½
1641	Case = 10 Dozen	25 × 20 × 12	1 2 22	3½
1642	Case = 10 Dozen	26 × 18 × 14	1 3 21	3½
1601	Case = 10 Dozen	26 × 18 × 14	1 3 21	3½

BRADES STEEL WORKS, Near BIRMINGHAM.

MATCHETS

MATCHETS made from special High-Carbon Steel, Hammer forged, hardened and tempered to carry a sharp cutting edge. Every article carefully examined and tested before being passed. Put up in Cardboard Boxes.

Cable Code	Patt. No.	Inches	15	18	20	22		
YMYIZ	1632	"GIRAFFE" MATCHET, One Groove, Best Quality, Bright	22/6	23/-	23/6	24/-	Doz.	
YPIPP	2291	"COCKATOO" " One Groove, Ground only ..	17/6	18/-	18/6	19/-	"	
YMYKV	1633	"GIRAFFE" " Three Grooves, Best Quality, Bright	22/6	23/-	23/6	24/-	"	
YPIRC	2292	"COCKATOO" " Three Grooves, Ground only ..	17/6	18/-	18/6	19/-	"	
YMYHB	1622	"COCKATOO" " Three Grooves, 18 inches, Self Colour				13/-	"	
YMYZY	1643	"MATADOR" BELIZE MATCHET, Three Grooves, 22 inches, Horn Handle				30/-	"	
YPISY	1623	"GIRAFFE" AFRICAN MATCHET, 18 inches, Best Quality, Bright				20/6	"	
YPITS	1652	"GIRAFFE" CALCUTTA MATCHET, 18 × 2½ inches				15/6	"	
YPIUF	2295	"COCKATOO" " " 16 × 2½ inches				10/-	"	
			Inches			18	20	22
YPIVO	104	SOCKET MATCHET, Cut Point, Bright				24/6	25/6	26/6
YPIXE	1636	CORN KNIFE, 15 × 3 inches						12/6

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwts. Qrs. lbs.	Cubic Measure Feet
1632	Case = 10 Dozen 15 inches	24 × 19 × 12	1 2 14	3½
2291	Case = 10 Dozen 18 inches	27 × 20 × 12	1 3 14	3½
1633	Case = 10 Dozen 20 inches	28 × 20 × 12	1 3 20	4
2292	Case = 10 Dozen 22 inches	30 × 20 × 12	2 0 0	4½
1622	Case = 10 Dozen	27 × 20 × 12	1 3 20	3½
1643	Case = 6 Dozen	26 × 15 × 8	1 0 12	1½
1623	Case = 10 Dozen	27 × 20 × 12	2 0 22	3½
1652	Case = 10 Dozen	27 × 19 × 12	1 3 8	3½
2295	Case = 10 Dozen	27 × 12 × 12	1 2 25	2½
	Case = 6 Dozen 18 inches	27 × 20 × 8	1 1 23	2½
104	Case = 6 Dozen 20 inches	29 × 20 × 8	1 2 8	2½
	Case = 6 Dozen 22 inches	31 × 20 × 8	1 2 16	2½
1636	Case = 10 Dozen	27 × 18 × 12	1 2 3	3½

BRADES STEEL WORKS, Near BIRMINGHAM.

WILLIAM HUNT & SONS, THE BRADES, LTD.

SLASHERS.

"BRADES" SLASHERS are FORGED from the Best HIGH-GRADE CARBON STEEL suitable for EDGE TOOLS, and being scientifically Hardened and Tempered will carry a sharp edge.



Every Slasher is carefully examined and tested on Lignum Vitæ, the Hardest known Wood, before being passed. Handled with Hickory Handles.

How to measure Slashers, etc. Point to Heel.

Cable Code	Patt. No.	Inches	8	9	10	11	12	Per Doz.
YPKZY	251	SLASHER	47/-	49/-	51/-	53/-	55/-	"
YPLAR	259	" With Back	51/-	53/-	55/-	57/-	59/-	"
	251 259	" Fitted with Ring and Bolt				Extra	.4/-	"
YPLEI	1647	AUCKLAND SLASHER		9 or 10 inches			44/-	"
YPLFO	243	HALF MOON TRIMMING HOOK		12 inches			56/-	"
YPLIS	234	BUSH HOOK					44/-	"
YPLLU	227	" " With Sheath					Obsolete	"
YPLQA	1646	MALEE SLASHER, Black		9 inches	30/6	10 inches	31/6	"

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwt. Qrs. lbs.	Cubic Measure Feet
251	Case = 6 Dozen 11 inch			
259	Case = 6 Dozen 11 inch	48 x 21 x 11	2 2 0	6½
1647	Case = 2 Dozen 10 inch	48 x 22 x 11	2 3 2	6½
243	Case = 1 Dozen	47 x 16 x 8	1 0 19	3½
234	Case = 1 Dozen	52 x 10 x 9	3 0	2½
227	Case = 1 Dozen	44 x 12 x 7	2 12	2½
1646	Case = 6 Dozen 9 inch	44 x 12 x 7	2 19	2½
1646	Case = 6 Dozen 10 inch	28 x 21 x 12	1 3 10	4½
		28 x 22 x 12	1 3 19	4½

BRADES STEEL WORKS, Near BIRMINGHAM.

WILLIAM HUNT & SONS, THE BRADES, LTD.

HOOKS—Ferns, Furze, &c.

HOOKS forged from the Best HIGH-CARBON STEEL specially suitable for EDGE TOOLS. Hammer forged; Scientifically Hardened and Tempered to carry a sharp edge. Carefully examined and tested on LIGNUM VITÆ

Cable Code	Patt. No.		No. 1, 28/-	No. 2, 30/-	Doz.	
YPLUY	239	FERN HOOK, Single Edge	"	
YPLYW	283	" Double Edge	"	
YPLZE	144	SOCKET FERN HOOK	Light, 37/-	Medium, 40/-	Heavy, 43/-	
YPLMX	142	GIPPSLANDER FERN HOOK	
YPMCU	1645	FERN HOOK	
YPMEV	1631	TASMANIAN FERN HOOK	
YPMGY	276	BEAN HOOK	No. 1, 36/-	No. 2, 38/-	No. 3, 40/-	
YPMIP	280	BEAN HOOK	
YPMMI	1644	SCRUB HOOK	
YPMNE	247	PEA HOOK	15 x 2 in., 34/-	15 x 2½ in., 36/-	"	
			lbs.	2	2½	2½
			Inches	12	13	14
YPNFU	244	CAPE BUSH HOOK	
YPMOF	245	" " " Cheaper Finish	
			Inches	10	11	12
YPMUS	249	SOCKET FURZE HOOK, Bright and Blued	
YPMYZ	250	" " " " " " " " " " " "	
				30/-	31/-	32/-
YPNAI	240	COCOA PRUNER, Bright and Blued	
YPNDY	233	" " " Trinidad Pattern, Bright and Blued	
YPNEP	242	BANANA PRUNER, Bright and Blued	
			

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwts. Qrs. lbs.	Cubic Measure Feet
239	Case = 6 Dozen No. 1	23 x 20 x 11	1 1 21	3
283	Case = 6 Dozen No. 2	23 x 22 x 11	1 2 8	3½
144	Case = 6 Dozen No. 2	23 x 23 x 11	1 2 9	3½
142	Case = 6 Dozen	29 x 24 x 9	1 2 26	3½
1645	Case = 6 Dozen	22 x 22 x 9	2 0 6	2½
1631	Case = 6 Dozen	26 x 20 x 9	1 3 24	2½
276	Case = 6 Dozen	23 x 21 x 9	1 1 18	2½
280	Case = 6 Dozen	27 x 20 x 9	1 0 6	2½
1644	Case = 6 Dozen	26 x 17 x 12	1 3 8	3
247	Case = 6 Dozen 15 x 2 inches	26 x 24 x 10	1 1 22	3½
244	Case = 6 Dozen	20 x 20 x 12	1 2 12	2½
	Case = 6 Dozen 10 inch	23 x 18 x 9	1 2 3	2
249	Case = 6 Dozen 11 inch	24 x 19 x 9	1 2 13	2½
	Case = 6 Dozen 12 inch	29 x 20 x 9	1 3 20	3
250	Case = 6 Dozen 11 inch	22 x 20 x 12	1 3 8	3
240	Case = 6 Dozen	21 x 13 x 7	2 6	1
233	Case = 6 Dozen	20 x 11 x 7	2 4	1
242	Case = 6 Dozen	20 x 11 x 8	1 0 0	1

BRADES STEEL WORKS, Near BIRMINGHAM.

WILLIAM HUNT & SONS, THE BRADES, LTD.

SICKLES—REAP HOOKS

"BRADES" REAPING and BAGGING HOOKS possess that essential feature, they will retain a keen edge. Uniformly tapered from Heel to Point, they are well balanced, strong but light, through tangs and clenched, carefully Hardened so that they neither bend nor break.

How to measure Hooks.
Point to Heel.



Cable Code	Patt. No.	Inches	18		20		Per Doz.
			7/9	8/3	6/-	6/6	
YPNIE	147	CAPE SICKLE, Serrated Edge, Best Quality
YPNOH	148	CAPE SICKLE, Serrated Edge, Cheaper Quality
YPPVTE	150	CAPE SICKLE, Plain Edge, " "
YMXMI	11	DEMERARA SICKLE, Serrated Edge, 14 inches	6/9
YPNUD	141	INDIAN SICKLE, Strong, Serrated Edge, 18 1/2 inches	13/6
YPNYA	146	INDIAN SICKLE, Serrated Edge, Capped Handle, 19 inches	8/3
			No. 2	3	4	5	
			Inches 20	22	24	26	
YRAMS	13	"EAGLE" SICKLE, Serrated Edge	8/3	9/-	9/9	10/6	..
YRANN	15	"GRASSHOPPER" SICKLE, Serrated Edge	6/9	7/3	7/9	8/9	..
			No. 2	3	4		
YPOAY	149	AUSTRALIAN SICKLE, Serrated Edge	9/- 9/6 10/-
			Inches	14	16	18	
YPOBO	122	SOCKET SICKLE, Serrated Edge	13/9 15/- 18/-
			No. 4	5	6		
YPOCE	143	SOCKET BAGGING HOOK	31/- 32/- 33/-
			No. 1	2	3	4	
YMXUS	124	REAP HOOK, Ferruled Handle	20/- 20/6 21/- 21/6
YPODM	135	REAP HOOK, Cheaper Finish, Plain Handle	17/- 17/6 18/- 19/-
YPOED	264	SOCKET FERN HOOK	29/-
YPOFP	285	SOCKET FERN HOOK, Heavy	34/-
YPOHN	85	"GRASSHOPPER" GRASS HOOK, 5 inch Handle	20/-
YRIIN	85	"GRASSHOPPER" GRASS HOOK, 3 feet Handle, Cheaper Grade	33/-

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwts. Qrs. lbs.			Cubic Measure Feet
			Cwts.	Qrs.	lbs.	
147	Case = 12 Dozen					
148, 150	Case = 24 Dozen					
11	Case = 12 Dozen 18 inches	32 x 17 x 17	1	1	15	5 1/2
141	Case = 12 Dozen	32 x 27 x 17	1	1	0	8 1/2
146	Case = 12 Dozen	27 x 18 x 11	0	2	24	3
149	Case = 6 Dozen	32 x 17 x 17	1	1	15	5 1/2
122	Case = 12 Dozen	32 x 17 x 17	1	1	15	5 1/2
143	Case = 12 Dozen Assorted 14, 16 and 18 in.	24 x 19 x 17	0	3	16	4 1/2
	Case = 6 Dozen No. 4	30 x 18 x 15	1	0	14	4 1/2
	Case = 6 Dozen No. 6	28 x 21 x 13	1	1	23	3 1/2
124	Case = 6 Dozen No. 2	30 x 21 x 13	1	2	0	4 1/2
135	Case = 6 Dozen No. 3	23 x 19 x 17	0	3	26	4 1/2
264	Case = 12 Dozen	24 x 20 x 18	1	0	10	5
285	Case = 12 Dozen	24 x 20 x 18	1	0	10	5
85	Case = 12 Dozen	30 x 18 x 14	1	3	0	4 1/2
85	Case = 6 Dozen, 5 inch Handle	32 x 21 x 13	2	0	14	5
85	Case = 6 Dozen, 3 feet Handle	24 x 19 x 12	0	3	4	3 1/2
		48 x 16 x 12	1	1	8	5 1/2

BRADES STEEL WORKS, Near BIRMINGHAM.


WILLIAM HUNT & SONS, THE BRADES LTD.

SCYTHES—HAY KNIVES.

"BRADES" CROWN SCYTHES are made of Iron and Steeled with Double Refined Steel by this method the soft Iron wearing away leaves a Steel edge which is easily kept sharp with the use of a Scythe Stone, greatly easing the work of the User.

"BRADES" RIVETED SCYTHES have a Sheet Steel Blade of High-grade Knife Steel; they are light in weight, carry a sharp edge and are particularly suitable for use on Lawns and similar work.

"BRADES" HAY and TRUSS KNIVES, acknowledged by the users to be the BEST KNIVES made. The Special High-grade Knife Steel used in their manufacture, together with our system of Hardening, ensures a uniform temper and a lasting edge.



How to measure Scythes.
Overall Length.

Cable Code	Patt. No.	Inches	30 32 34 36 38 40 42 44								Per Doz.
			71/-	72/-	73/-	75/-	77/-	79/-	82/-	85/-	
YPOKU	30	CROWN SCYTHER	71/-	72/-	73/-	75/-	77/-	79/-	82/-	85/-	Per Doz.
YPOLL	5	RIVETED SCYTHER	53/-	53/-	54/6	54/6	56/-	58/-	60/-	62/-	..
YPONF	12	" " Clarkes Pattern			67/-	67/-					..
							Inches 24	26	28	30	
YMYOP	41	CROWN BRIAR SCYTHER					71/-	73/-	76/-	79/-	..
YPOOK	71	"ELECTRIC" HAY KNIFE								45/-	..
							Inches 20	22	24	26	
YPOPI	52	CROWN HAY KNIFE, Side Handle					8/-	8/6	9/-	10/6	each
YPOSH	68	RIVETED HAY KNIFE " "					6/-	6/6	7/-	8/-	..
YPYWY	83	NORWEGIAN SCYTHER (see illustration on page 48)								Obsolete	
YPOUZ	50	SCYTHER STONE								14/-	Per Doz.
YPOVJ	48	SCYTHER SNEATH								43/-	..
YPOWA	49	SCYTHER SNEATH, Tubular for "Clarkes" Scythe								8/6	each

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwt. Qrs. lbs.			Cubic Measure Feet
			Cwt.	Qrs.	lbs.	
30	Case = 4 Dozen each 36, 38, 40 inches	46 x 25 x 19	3	3	0	12 1/2
5	Case = 4 Dozen each 36, 38, 40 inches	46 x 25 x 19	3	2	8	12 1/2
12	Case = 6 Dozen each 34, 36 inches	44 x 25 x 19	3	3	6	12
41	Case = 3 Dozen each 24, 26, 28 inches	34 x 19 x 19	3	0	24	7 1/2
71	Case = 1 Dozen	40 x 13 x 7	0	2	11	2 1/2
52	Bundle = 1/2 Dozen 22 inches	28 x 12 x 10	0	1	17	2
68	Bundle = 1/2 Dozen 22 inches	28 x 12 x 10	0	1	4	2
48	Bundle = 1 Dozen	58 x 20 x 11	0	1	21	7 1/2
49	Bundle = 1/2 Dozen	61 x 12 x 7	0	1	3	3

BRADES STEEL WORKS, Near BIRMINGHAM.

CHOPPERS AND CLEAVERS.

"BRADES" CHOPPERS AND CLEAVERS are Hammer Forged from Special High-Carbon Steel to the most approved shapes. They are scientifically Hardened and Tempered to ensure uniformity of Hardness on the cutting edge and will stand the severe test of use on Frozen Meat. Every Chopper is severely tested on Bar Iron and critically examined before being passed, and carries our Warranty.

Cable Code	Patt. No.	Particulars	8	9	10	11	12	Per Doz.		
YPOYV	413	HOUSEHOLD CHOPPER, 6½ inches, Polished Handle	28/-		
YPOZR	410	"GOOD TEMPER" KITCHEN CHOPPER (see Illustration on page 48)	10/6		
YPPAW	406	LAMB CHOPPER	44/-	46/-	48/-	50/-	52/-	..		
YPPFA	405	" " Scale Tang	48/-	50/-	52/-	58/-	62/-	..		
YPPGI	439	LAMB CLEAVER	54/-	56/-	58/-	62/-		
YPPIU	441	LAMB SPLITTER	54/-	57/-	60/-	..		
YPPJY	426	MARKET CLEAVER, Cord Wrapped Handle	64/-	68/-	72/-	76/-		
YPPMO	430	" " Wood Handle	64/-	68/-	72/-	76/-		
YPPON	404	SMITHFIELD CHOPPER	52/-	54/-	58/-		
			Size No.				1	2	3	4
			Inches				7	8	9	10
YPPUV	434	LONDON CHOPPER	52/-	56/-	60/-	64/-	
YPPYD	440	BEEF SPLITTER, Scale Tang	12 in., 145/-;	13 in., 150/-;	14 in., 155/-	
YPRDE	425	SMITHFIELD CLEAVER	3½ lbs. rising by ½ lb., and above	1/6	Per lb.	
YPREM	420	SCALE TANG CLEAVER	3½ lbs., rising by ½ lb., and above	1/8	..	

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwt. Qrs. lbs.	Cubic Measure Feet
413	Case = 6 Dozen	22 x 17 x 13	1 0 14	2½
410	Case = 6 Dozen	27 x 12 x 6	0 2 9	1½
406	Case = 5 Dozen	31 x 18 x 6	1 1 16	2
405	Case = 2 Dozen each 9 inch	24 x 19 x 9	1 2 25	2½
439	Case = 5 Dozen	18 x 14 x 14	1 1 18	2½
441	Case = 6 Dozen	22 x 19 x 10	1 2 0	2½
426	Case = 6 Dozen	29 x 20 x 10	2 3 0	3½
430	Case = 5 Dozen	24 x 20 x 15	2 2 16	4½
404	Case = 2 Dozen each, No. 2, 3 and 4	34 x 18 x 7	1 3 4	2½
434	Case = 2 Dozen	29 x 19 x 9	2 0 10	2½
440	Case = 2 Dozen	32 x 14 x 12	1 2 12	2½
425	Case = 2 Dozen	28 x 14 x 10	1 2 24	2½
420	Case = 2 Dozen	32 x 19 x 16	1 3 16	3½

BRADES STEEL WORKS, Near BIRMINGHAM.

CHIPPING CHISELS, &c.

"BRADES" CHIPPING CHISELS, Etc., are forged from a HIGH-GRADE CARBON STEEL, Hammer Forged, Scientifically Hardened and Tempered.
INSTRUCTIONS for RE-FORGING:— Re-forge at a light Salmon Colour, well Hammering the edge: HARDEN in Cold Water at a Cherry Red heat, tempering back to Straw Colour.

Cable Code	Patt. No.	Size, Inches	4x¼x¼	5x¾x¾	6x7/8x¾	7x¼x¾	8x¾x¾	9x¾x¾	10x¾x1	
YPRIW	1430	CHIPPING CHISEL, Flat	4/6	5/-	5/6	6/6	7/6	8/6	9/6	Per Doz.
YPRKI	1429	CHIPPING CHISEL, Flat, Self Colour	3/6	4/-	4/6	5/6	6/6	7/6	8/6	"
YPRNO	1494	CHIPPING CHISEL, Samson Special Alloy Steel	5/6	6/-	7/-	8/6	9/6	11/6	14/6	"
			Size, Inches		6x¼x¾	7x¾x¾	8x¼x¾	9x¾x¾	10x¾x¾	
YPROS	1431	CHIPPING CHISEL, Cross Cut (Cape)	8/6	9/6	10/6	11/6	12/6	"
YPRTU	1433	" " Diamond	"
YPRUJ	1432	" " Foals Foot	"
YPRYG	1440	PLUGGING CHISEL	9x¼ inch, 9/-;	10x¾ inch, 9/6;	11x¼ inch, 10/-	"
			Inches		10x¼x¾	12x¾x¾	15x¾x¾	18x¾x¾	..	
YPRZA	2236	BRICK CHISEL	8/-	10/6	12/-	13/6	"
YPSAJ	2237	BRICK CHISEL, 4 inches	16/-	"
YPSBY	1451	ELECTRICIAN'S CHISEL, 9x2¼ inches	10/6	"
YMWKO	1437	STONEMASON'S CHISEL, Mallet Head, Under 1 lb.	8/6 Doz.,	1 lb. and above	8½ d.	8½ d.	Per lb.
YMWVRU	1438	STONEMASON'S PITCHING TOOL	8/6 Doz.	8½ d.	"
YMWVOV	1439	STONEMASON'S POINT, 9x¼ inch, 10 ozs.	8/6	Per Doz.
YMVIC	1467	CHISEL for Corrugated Iron	8 inches	10/6	..	"
YPSCA	1468	ROOFING PUNCH	6x¾ inch	6/-	..	"
YPSRO	1461	REAPER RIVET PUNCH	7x¾ inch, 7/-;	8x¾ inch	7/6	"
YPSIV	2239	MASON'S BOLSTER	4 inch	15/-	..	"
YPSOB	1827	COOPER'S DRIVER	28/-	..	"
YPSSE	1828	" " Scotch Pattern	32/-	..	"
YPSUI	1826	" " 2½ lbs.	30/-	..	"
			Inches		14	16	18	
YPTAB	1449	CASE OPENER	26/-	28/-	30/-	"
YPTDA	1450	" " Self Colour, 14 inches	24/-	..	"
YPTER	1448	" " (see illustration on page 48)	16/-	..	"
YPTGU	1380	" TOM THUMB " CASE OPENER (see illustration on page 48)	9/-	..	"

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwts. Qrs. lbs.	Cubic Measure Feet
1494, 1430, 1429	Case = 12 Dozens Asstd. 5 to 9 inches	18 x 14 x 11	1 1 0	1½
1432, 1431, 1433	Case = 10 Dozens Asstd. 6 to 8 inches	17 x 10 x 5	0 2 20	1½
1440	Case = 3 Dozens each 10, 11 inches	13 x 13 x 5	0 2 7	1½
2236	Case = 2 Dozens each 10, 12, 15, 18 inches	20 x 12 x 6	1 1 0	1
2237	Case = 6 Dozens, 4 inches	25 x 11 x 8	1 0 0	1½
1451	Case = 10 Dozens	31 x 12 x 10	1 3 17	2½
1437, 1438	Case = 6 Dozens Assorted	16 x 16 x 9	1 1 20	1½
1439	Case = 12 Dozens	22 x 10 x 8	1 1 27	1
1467	Case = 12 Dozens	15 x 9 x 6	0 1 17	1
1468	Case = 12 Dozens	16 x 9 x 6	0 1 21	1
1461	Case = 6 Dozens	31 x 11 x 8	1 1 9	1½
2239	Case = 5 Dozens	17 x 15 x 10	0 3 19	1½
1827, 1828	Case = 3 Dozens	19 x 11 x 6	0 3 9	1½
1826	Case = 6 Dozens	22 x 17 x 11	1 2 16	2½
1449, 1450	Case = 2 Dozens each 14, 16, 18 inches	23 x 20 x 11	1 2 24	3
1448	Case = 12 Dozens	30 x 9 x 8	1 0 0	1½

BRADES STEEL WORKS, Near BIRMINGHAM.

SMITHS TOOLS—CROW BARS

"BRADES" CROWBARS, Etc., are made from High Carbon Steel of Special Quality to suit the particular tool. Cleanly Forged to shape and accurate in size and weight, Hardened and Tempered to stand the severe test to which these tools are put.

Cable Code	Patt. No.	Particulars	Measurement	Gross Weight	Per lb.
YMAH	1421R	COLD SET, Best Quality, Rodded, 2, 2½, 3 lbs., Heads		9d.	Per lb.
YPMJ	1421	" " " " Without Rod		10½d.	"
YMEY	1422	" " " " Eyed		10½d.	"
YPTH	1463	RAILWAY TRACK CHISEL 4½ and 5 lbs.		9d.	"
YPTG	1419	HOT SET 2, 2½, 3 lbs.		9d.	"
YPTL	1418	FLATTENER 2, 2½, 3 inches		9d.	"
YPTO	1417	SET HAMMER 1½, 2 inches		9d.	"
YPTP	1410	ANVIL CUTTER 1 inch Shank		9d.	"
YPTQ	1411	PUNCH, Square 1 inch		9d.	"
YPTR	1412	PUNCH, Round 1 inch		9d.	"
YPTU	1416	FULLER, Top 1 inch		9d.	"
YPTV	1413	" Bottom 1 inch		9d.	"
YPTW	1414	ROUNDING TOOL, Bottom 1 inch		9d.	"
YPTX	1415	" Top 1 inch		9d.	"
YMYV	1241	CROW BAR, Clawed, Round or Hexagon	4 ft. 6 in. x 1½ in. and above	36/-	Per Cwt.
YMYW	1242	" " Plain	4 ft. 6 in. x 1½ in. and above	34/-	"
YMYX	1243	" " Round, Chisel and Point	4 ft. 6 in. x 1½ in. and above	28/-	"
YMPY	1250	PINCH BAR, Hexagon	4 ft. 6 in. x 1½ in. and above	28/-	"
YMPZ	1245	PLANTING BAR	4 ft. 0 in. x 1 in. and above	36/-	"
YMPA	1246	ALAVANGA or Planting Bar	3 ft. 6 in. x ¾ in. and above	33/-	"
YMPB	1256	MINERS DRILL, Octagon	2 ft. 0 in. x ¾ in. and above	50/-	"
YMPC	2221	RIPPING BAR, Goose Neck, 18 x ¾ inch, 16/-; 24 x ¾ inch, 22/-; 30 x ¾ inch, 27/-			Per Doz.

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwt. Qrs. lbs.	Cubic Measure Feet
1421R	Case = 6 Dozen Rodded 3 to 3½ lbs.	30 x 16 x 11	2 2 0	3
1422	Case = 6 Dozen Heads 2 to 2½ lbs.	16 x 10 x 10	1 2 9	
1463	Case = 4 Dozen 2½ lbs.	16 x 10 x 7	1 0 20	
1419	Case = 4 Dozen Asstd. 4½, 5 lbs.	17 x 14 x 9	2 0 4	
1418	Case = 4 Dozen Asstd. 2, 3 lbs.	16 x 10 x 9	1 0 20	
1417	Case = 4 Dozen 2½ lbs.	20 x 10 x 9	0 3 22	
1410	Case = 4 Dozen 1½ lbs.	11 x 9 x 7	0 2 21	
1411	Case = 4 Dozen 1 inch	15 x 10 x 7	0 3 22	
1412	Case = 4 Dozen " "	16 x 8 x 7	0 3 16	
1416	Case = 4 Dozen " "	14 x 8 x 7	0 2 16	
1413	Case = 4 Dozen " "	20 x 9 x 8	1 1 24	
1414	Case = 4 Dozen " "	14 x 10 x 8	1 1 0	
1415	Case = 4 Dozen " "	14 x 10 x 8	1 1 0	
1241	Bundle = ½ Dozen	20 x 9 x 8	1 1 17	
1242	Bundle = ½ Dozen	4 ft. 6 in. x 1½ in.	1 0 0	
1243	Bundle = ½ Dozen	4 ft. 6 in. x 1½ in.	1 0 0	
1250	Bundle = ½ Dozen	4 ft. 6 in. x 1½ in.	1 2 0	
1245	Bundle = 1 Dozen	4 ft. x 1 in.	1 1 0	
1246	Bundle = 1 Dozen	3 ft. 6 in. x ¾ in.	0 3 21	
1256	Bundle = 1 Dozen	2 ft. x ¾ in.	0 1 11	

BRADES STEEL WORKS, Near BIRMINGHAM.

BLACKSMITHS' TONGS.

"BRADES" TONGS, Etc., are Forged from a High Carbon Steel, Hammer Forged, Scientifically Hardened and Tempered.
 INSTRUCTIONS for RE-FORGING:— Re-forged at a light Salmon Colour, well Hammering the edge; HARDEN in Cold Water at a Cherry Red heat, tempering back to a Straw Colour.

Cable Code	Patt. No.	Particulars	Small, under 3 lbs.	26/-	Per Doz.
YPUWI	1395	TONGS, SMITHS', Close Jaw	3 lbs. and above	8½d.	Per lb.
YMVSA	1396	" " Large			
		Size of Opening, Inch	½ ⅝ ¾ 1 1 ¼ 1 ½ 1 ¾		
		Length overall, Inches	16 16 18 18 20 24 24		
YPUXM	1394	TONGS, SMITHS', V Pattern			Per Doz.
			25/- 25/- 25/- 28/- 31/- 35/- 44/-		
YPUZU	1398	" " Band Jaw			10d. Per lb.
YPVAE	1399	" " Angle Jaw			10d. "
YPVIX	1400	" " Pick up			1/2 "
YPVKY	1404	" " Curved lip, 15, 22, 24 inches			1/1 "
YPVNI	1405	" " Rivet			1/- "
YPVOC	1406	" " Bolt			1/2 "
YPVUR	1397	TONGS, FARRIERS'			Per Doz.
YPVVA	1391	PINCERS, "	10 inch, 26/-; 11 inch, 28/-; 12 inch, 30/-		

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwt. Qrs. lbs.	Cubic Measure Feet
1395	Case = 6 Dozen Assorted 16-22 inches	24 x 12 x 7	1 1 23	1½
1396	Case = 6 Dozen Assorted 20-24 inches	26 x 13 x 7	2 0 2	1½
1394	Case = 6 Dozen Assorted Sizes	26 x 12 x 10	2 0 16	1½
1398	Case = 6 Dozen " "	25 x 13 x 9	2 0 10	1½
1399	Case = 6 Dozen " "	25 x 13 x 9	2 0 10	1½
1400	Case = 4 Dozen " "	26 x 12 x 8	1 1 16	1½
1404	Case = 4 Dozen " "	21 x 13 x 7	1 0 22	1½
1405	Case = 6 Dozen " "	22 x 12 x 7	1 1 17	1
1406	Case = 6 Dozen " "	22 x 14 x 9	2 0 0	1½
1397	Case = 4 Dozen " "	20 x 9 x 7	0 3 14	1
1391	Case = 2 Dozen each 10, 11 and 12 inches	20 x 14 x 10	1 0 27	1½

BRADES STEEL WORKS, Near BIRMINGHAM.

WILLIAM HUNT & SONS, THE BRADES LTD.

WEDGES, &c.


"BRADES" WEDGES, Etc., are made from High Carbon Steel of Special Quality to suit the particular tool. Cleanly forged to shape and accurate in size and weight, Hardened and Tempered to stand the severe test to which these tools are put.

Cable Code	Patt. No.	Inches	Weight in lbs.					Per cwt.			
			4	5	6	7	8 & over				
YMUZN	1425	WOOD WEDGE	4	5	6	7	8 & over				
YFVYT	1474	FALLING WEDGE	4	5	6	7	8 & over				
YFPAU	1481	TRUCKEE WEDGE	4	5	6	7	8 & over				
YFRET	1482	OREGON WEDGE	4	5	6	7	8 & over				
YFWM	1473	OREGON MAUL, Round Eye	4	5	6	7	8 & over				
YFVUL	1471	" " Axe Eye	4	5	6	7	8 & over				
YFVAT	1478	HANGING WEDGE	4	5	6	7	8 & over				
YFVXC	1475	SAW WEDGE	4	5	6	7	8 & over				
YFVXZ	1420	STONE WEDGE	4	5	6	7	8 & over				
YFVXL	1424	MINERS' WEDGE	4	5	6	7	8 & over				
YFVXN	1472	ROAD WEDGE, Hexagon	4	5	6	7	8 & over				
YFVXW	1472	" " Square or Round	4	5	6	7	8 & over				
YFVXI	1427	MILL BILL	4	5	6	7	8 & over				
YFVYN	1489	" " Eyed	4	5	6	7	8 & over				
YFVYT	1829	PALING FROE	Inches				8	9	10	12	Per Doz.
YFVYC	1491	EARTH RAMMER, Round					8, 10, 12, 13 lbs.				Per Cwt.
YFVYD	1492	" " Square					8, 10, 12, 13 lbs.				"

PACKING—APPROXIMATE ONLY.

Pattern No.	Particulars	Measurement Inches	Gross Weight Cwt. Qrs. lbs.	Cubic Measure Feet
1425	Case = 6 Dozen 4 inches	10 x 8 x 6	2 15	1 1/2
1474	Case = 6 Dozen 5 inches	12 x 10 x 5	3 25	
1481	Case = 50 only 6 inches	14 x 9 x 6	1 1 13	
1482, 1473	Case = 50 only 7 lbs.	21 x 15 x 9	3 1 8	
1478	Case = 50 only 7 lbs.	13 x 12 x 10	3 1 0	
1475	Case = 200 only 7 lbs.	20 x 14 x 10	3 1 4	
1420	Case = 3 Dozen 2 lbs.	26 x 15 x 7	3 3 2	
1424	Case = 3 Dozen 3 lbs.	13 x 12 x 7	1 0 24	
1472	Case = 2 Dozen 3 lbs.	13 x 10 x 8	1 0 5	
1427, 1489	Case = 3 Dozen 18 x 1 1/2 inches	20 x 14 x 9	2 1 21	
1829	Case = 6 Dozen 4 lbs.	16 x 12 x 8	1 1 16	1 1/2
1491	Case = 2 Dozen Assorted, 8, 9, 10 & 12 inches	24 x 16 x 10	1 2 6	
1492	Case = 2 Dozen	25 x 13 x 13	2 3 6	
	Case = 2 Dozen	23 x 14 x 14	2 3 6	

BRADES STEEL WORKS, Near BIRMINGHAM.



Brades Catalogue Book